

OCBP -004A / B

M / N OCBP -004A / B



OCBP

8 MB SDRAM 4 MB 200 Mhz 32 RISC

OCBP

127 5

25.4 1 300 984

OCBP

TSPL-EZ™ TPLE TPLZ

OCBP	OCBP -004A	OCBP -004B
OCBP	8 / 203 DPI	12 / 300 DPI
OCBP	OCBP	
OCBP	127 5 /	101.6 4 / s
OCBP	108 4.25	104 4.09
OCBP	2794 110	1016 40
OCBP	OCBP	
OCBP	20-112 0.78-4.4	
OCBP	0.06 0.254 2.36 10	
OCBP	10 2,794 0.39 " 110 "	10 1,016 0.39 " 40 "

重量	约1270g(含5000mAh电池)
尺寸	约300 mm(宽) x 67 mm(厚) x 110 mm(高) 约40 mm(宽) x 110 mm(高) x 1.6 mm(厚) x 4.3 mm(厚)
颜色	黑色
分辨率	234 dots x 194.8 dots x 302.5 dots
厚度	3.1 mm(最薄) 6.83 mm(最厚)
处理器	32-bit RISC CPU
内存	4MB ROM 8MB SDRAM SD卡插槽(支持最大4 GB)
接口	•USB2.0 •RS-232 •Centronics •10/100 Mbps •802.11 b / g / n
电源	AC 100-240V 1A 50-60Hz DC 24V 2.5A 60W
LED	1个LED 3个LED
显示	pos MSI PLESSEY POS TNET POS T
条形码	Code 39 Code 93 Code 128 UCC Code 128 A B C Codabar 2 of 5 EAN-8 EAN-13 EAN-128 UPC-A UPC-E EAN UPC 2 5 PDF-417 Maxicode DataMatrix QR
打印	BIMAP BMP PCX 256色
打印角度	0° 90° 180° 270°
打印语言	TSPL EPL ZPL DPL
打印温度	5 40°C 25 85°C -40 60°C 10 90°C
认证	FCC CE CCC CB
环保	RoHS
软件	①Windows CD ②USB ③USB ④ ⑤ ⑥ x 2 1.5" x 2 ⑦ x 2 ⑧ ⑨
接口	10/100 Mbps RS-232 Centronics
打印速度	0.06 0.19mm 500000; 0.20 0.25mm 200000
其他	214 8.4 25.4 1 802.11 b / g / n RFID

重量



OCBP-004





OCBP-004






OCBP-004





OCBP-004





OCBP-004



□□□

3. 3.

OCOM

500 100

12 + 1 24

30 DOA DOA

4. 4.

Paypal Moneybookers Visa MasterCard Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro6000

5. 5.

6. 6.

Eruopean

133 / 1300 500 O2 50

OCOM

POS ID 500

1 O2 Star ...

1500 133 /

9 OEM / ODM

POS 1

FCC CE Soncap POA BIS

12 + 1

“ ”