OCBP -007A □□□□□□□□□□□□□□□□□

□M / N□OCBP -007□

□□

□□□□□□□□□□□

32□RISC CPU

8MB SDRAM□4MB□□

□□□□□

203 dpi□□□

102mm□4''''□/ s□□□□□

108mm□□□□

20-112mm□0.78” -4.4”□□□□□

□□

□□	
□□□	8□/□□□203DPI□
□□□□	□□□
□□□□□□	102□□□4□□□/□
□□□□□□	108□□□4.25□□
□□□□□□	2286□□□90□□□
□□□□	□□□□□□□□□□□□□□□
□□□□	20-112□□□0.78□□-4.4□□□
□□□□	0.06□0.16mm□□2.36□6.3mil□
□□□□	10□2,286□□□0.4''''□90''''□

□□□□□	□□127□□□5□□□□□□□□□□
□□	□□□□
□□□□	240□□□□□□×211□□□□□□×166□□□D□
□□	2.15□□
□□□	32□RISC CPU
□□	4MB□□□8MB SDRAM□SD□□□□□□□□□□□□□□□□□□□4 GB
□□	USB 2.0
□□□□	8□□□□□□□□□□□Windows□□□□□□□□□□
□□	□□□□□□□Code 39□Code 93□Code 128UCC□Code 128□□A□B□C□Codabar□□□□5□2□EAN-8□EAN-13□EAN-128□UPC-A□UPC-E□EAN□UPC 2□5□□□□□□□□□MSI□PLESSEY□POS TNET□□□POS T
	□□□□□PDF-417□Maxicode□DataMatrix□QR□
□□□□□□□□□	0°□90°□180°□270°
□□□□	□□□□□5□40°C□25□85□□□□□□□□□-40□60°C□10□90□□□□

Ocom®

At your side

OCBP-007

ISO FC CE RoHS

ocom®

At your side

OCBP-007

ISO FC CE RoHS

Ocom®
At your side

OCBP-007

ISO FC CE RoHS

Ocom®

At your side

OCBP-007

ISO FC CE RoHS

ocom®
At your side

OCBP-007

ISO FC CE RoHS

Aocom®
At your side
OCBP-007
ISO
FC
CE
RoHS

□□

Application scenario
Logistics
Warehouse management
Supermarket
Clothing label
Jewelry label
Restaurant

□□ □□ □□ □□

□□□□

1.□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

2.□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□

3.□□
OCOM□□□