

□□□□□□□□ **POS** □□□□□□□**80mm**□□

100

1. 00000000000000000000
2. 0001D0000QR000
3. 000000000000
4. 0000000000
5. 0000000000
6. up 300mm/s 00000000
7. 48 80mm 0000000000
8. 150 0000000000
9. 0000000

11

OCPP-80s		
80mm		
USB/USBL/N/USBBT/USBW/FI/URLWIFI/URLBT		
A		
DC 24V/1A		
150		
iOS/ android/ windows/ linux		
CEFCCROHS		
203 DPI		
200mm/su/ur 300mm/ surl/ urlbt/ urlwifi		
72		
ESC/POS		
1D UPC-A/UPC-E/JAN13/EAN13/JAN8/EAN8/code39/itf/ codabar/code93/code128 2DQR		
ANK 12*24DOTS1.5w*3.0hmm fontb9*17DOTS1.1w*2.1hmm /24*24 dots 3.0w*3.0h		
/		
PC437/Katakana/PC850/PC860/PC863/PC865/Westeurope/Greek/ /WPC1252/pc866/pc852/pc858/iranii/ /pt151/1251/pc737/wpc/1257/thaivietnam/ PC864/PC1001/LATVIAN/PC1001/PT151/1251/WPC1257/ PC864/ /		
48mm/52mm/56mm/64mm/68mm/76mm/80mm		
0.060.08mm		
80mm		
180*142*136mm		
1.65		
228*215*165mm		
8475*445*358mm/15.65kg		
045 1080		

80MM Thermal Printer with Auto Cutter

OCPP-80S



Windows

LINUX



Android

IOS



Direct Thermal Printing

Without the printing ink and ribbon etc traditional consumables,
Low material cost. 48 or 80mm adjustable paper separator for option



Thermal Receipt Paper
Paper Width: 80mm
Roll Dia: Max. Ø 80mm



Supports multi 1D barcode and QR code printing

Support printer status monitoring function. Compatible with black mark paper and normal thermal paper, and has paper out, cover open, cutter jam, paper jam and black mark detection sensor.




Desktop + Wall Mounted

Support printer status monitoring and printing queuing ticket function



Easy Paper Loading

One button operation, abandon the traditional paper loading structure, and directly put the paper in, easy to operate



OEM/ODM

FAMOUS PARTNER BRANDS



[Click here](#)




Customized Your LOGO

High-performance Print Head

Regularly use a cloth soaked in alcohol to domaintenance to extend the lifespan of printing head life

Print Speed: 200-300mm/s

Printing Head Life: 150KM



Customized Your Packaging



Support Customer's Idea To Do The Design

