

Ecd405b POS 405W 418 L 90H

□□□□

1. POS □□□□□

4□5□□□□□□□□8□□□□□□□□

□□□□□□□□□□□□

9V□24V□□□

□□□□□□□□□□

3□□

2. POS □□410D□□

□□

□□□□0.8mm SPCC□□□□□□□□□□

□□□1.0mm SECC□□□□□

□□□□

□□□□□□85/84/84 / 85mm

□□□□□□68/67/67/67 / 68mm

□□□193□□;□□□59□□

□□□□ 8□□□□□□□□82;□□□57;□□□46

□ 3□□

□□ 12V□24V□□□□

□□ □□□□100□□□□□

□□ RJ11 / RJ12

□□ □□□

□□ 6.5□□□□□□□7.0□□□□□□□

□□□□ 410□□□x 415□□□x 100mm□□□□□10mm□

□□

http://www.aliexpress.com/store/403448?tracelog=minisite_CI

http://www.aliexpress.com/store/403448?tracelog=minisite_CI

5. 12000

* 1 12000 1 CRM 5 6 * 24 12

6.

http://www.possolution.com.cn/cn/download.html SDK

7.

http://www.possolution.com.cn/video.html

8.

9.

http://www.possolution.com.cn/inquiry.html

OCOM POS POS POS POS CE FCC OCOM 2007

OCOM 500 3

OCOM ISO9001 2008 IQC IPQC OQC 24-48 24 3 7

OCOM " OEM / ODM

OCOM " 4

Harold Hu

OCOM

10 4 518054

www.ocominc.com www.possolution.com.cn;

sales14@ocominc.com;

Skype sales14@ocominc.com

MSN ocomsales14@hotmail.com;

Whatsapp 86.18948789890;

18948789890 ocomsales14;

86.18948789890;

QQ 1467261417;

0086.755.86053207-814;

☐☐☐0086.755.86053207-868☐