

OCBS Pda

M / N OCBS -A100

OCOM 24



- Android 7.1
- 1G RAM + 8G ROM / 2G RAM + 16G ROM
- 4.0" 480 * 800 WVGA IPS
-
- 4G
- 2.4G + 5G wifi
- 3.7V 3200Ah
- IP54 / 1.5m
- 800 LED
- 1D / 2D
- POGO PIN
- GPS / NFC
- " " - "

| | | |
|--------------|---|--|
| □□ | | |
| □□□□ | | |
| □□ | 162□□□□□x73□□□□□x20□□□□□±2□□ | |
| □□ | □□□266□□□□□□□□□□ | |
| □□ | 4.0□□TFT-LCD□WVGA 480x800□□□□□□□□ | |
| LED | LED□□ | |
| □□ | 3□TP□□23□□□□□4□□□□ | |
| □□ | 2 SIM□1 TF | |
| □□ | □□□□□□□□□□3.7V□3200mAh | |
| □□□□ | | |
| □□□□□ | □□□□ | |
| □□□□ | Android 7.1 | |
| □□ | 1GB RAM + 8GB ROM□2GB RAM + 16GB ROM□MicroSD□□□32GB□□□ | |
| □□□□ | | |
| □□□□ | -20°C□50°C | |
| □□□□ | -20°C□70°C | |
| □□ | 5□RH□95□RH□□□□□□ | |
| □□□□ | □□□□□□□□□□5□□/1.5□□□□□□□□ | |
| □□ | IP54□□□IEC□□ | |
| □□□□ | | |
| SDK | HHW□□□□□□□□ | |
| □□ | Java□ | |
| □□ | Android Studio□Eclipse | |
| □□□□ | | |
| WWAN | TDD-LTE□FDD-LTE□ B1 / B2 / B3 / B5 / B7 / B8 / B20 / B38 / B39 / B40 / B41 | |
| WLAN | IEEE 802.11 a / b / g / n 2.4G + 5G | |
| WPAN | □□v4.1 + BR / EDR + BLE | |
| □□□□□□ | | |
| □□□□□□□□□□ | | |
| 1D□□ | □□□□□□□□ | □□uE966□□□□□4313□□□□ |
| □□ | □□ | □□□□□□□□□□ |
| □□□□ | 2D CMOS□□□□ | □□ME54800□□□□□3680□□□□ |
| □□ | □□ | PDF417□MicroPDF417□Com pos ite□RSS□TLC-39□Datamatrix□QR□□Micro QR □□Aztec□MaxiCode□Pos ta□□□□□□□□Pos tNet□□□□□□□□□□Pos ta□□□□□□□□Pos ta□□ □□Pos ta□□□□Pos ta□□□□ |
| RFID□□□□□□□□ | | |
| RFID HF | □□ | 13.56MHz□ |
| | □□ | ISO 14443A& 15693 |
| | R / W□□ | 2□□□8□□ |
| □□ | | |
| □□ | 1xPower□□□ 1x□□□□□□□□ 1xDC□□□□ 1xUSB□□□□ | |
| □□□ | □□□□□GPS□NFC | |

Android Industrial Data Terminal

M/N:OCBS-A100



1D/2D Scanner



4G



2.4G+5G WIFI



Bluetooth



Camera



Rugged IP54



HD Big Screen

4.0 inch high quality touch screen, 480 * 800 WVGA IPS display, high resolution, full-view, visible under outdoor bright light, easy to handle in outdoor.



High quality
touch screen



Full-view



High Configuration

Adopts Qualcomm quad core Android 7.1 system, 2GB RAM+16GB ROM storage, safe and stable, can run multiple applications at the same time smoothly.



Professional Scanning Code

Professional barcode scanner, with 1D/2D for option.



High Efficiency Scanning

Industrial professional barcode scanner, ability to scan incomplete barcode, wrinkle barcode, fuzzy barcode, high-light barcode, wide scanning field of view, fast and accurate scanning, highly enhance the work efficiency.



Incomplete
Barcode



Wrinkle
Barcode



Fuzzy
Barcode



High-light
Barcode



Data Transmission



4G
Communication



2.4G+5G
Dual Mode WIFI



Support Bluetooth 4.1
Backward Compatibility

Application And Secondary Development

Flexible customization of brand, model number, item code and other specification, easy to adapt to the user's existing application APP and secondary development.



Industrial Protection Design

Adopt Industrial grade raw materials, rugged IP54 /1.5m drop tolerance, satisfies the outdoor dustproof and waterproof application, truly achieve anti-fall, rugged and durable function.



8 Million Pixel Camera

Adopts 8 million pixel camera with auto focus, Optional LED flash, auto-fill light, effectively improve shooting effect under weak light.

| | |
|-----------------|-----------------|
| Photo | 8 Million Pixel |
| Video | Support |
| Auto Focus | Support |
| Auto Fill Light | Support |



Long Lasting

Built in 3.7V 3200Ah rechargeable Lithium-ion Battery, can work continuously up to 10-12 hours, standby time up to 72hours, meet the high workload requirements.



Fast Charging

Professional POGO PIN interface, fast charging, reduce the loss of batteries and mainframe at the same time.



POGO PIN Interface

Portable And Easy To Use

Nice appearance, easy to hold and carry.



Industrial Handheld PDA
With keypad, long life span



With back wristband
to prevent slip



Application

Warehousing Management



Logistics



Clothing Industry



Supermarket



Library



Manufacturing Industry



Inspection Law Enforcement



Electricity Meter Reading



Food Security Inspection



Package



▶ Company



▶ Certificates



▶ Payment



