

Handheld Thermal Printer

Handheld OCPP - M12



Handheld

Handheld Thermal Printer;

Support Windows, Java, Linux, Android, iOS;

Support Android, SDK, iOS

57 * 40mm

Handheld Thermal Printer 8mm

7" Android, Apple;

7.4V, 1500mAh

Print Speed 90mm/s;

Print Range 50km;

Handheld;

ESC / POS;

Handheld

Handheld	Handheld
Handheld	ESC / POS
Handheld	48mm
Handheld	90mm/s
Handheld	8mm / mm 203dpi
Handheld	12x24 / 24x24
Handheld	32mm / 16mm
Handheld	1.5 x 3.0 mm / 3.0x3.0mm

寸法	58.0±0.1mm x40.0mm
厚さ	0.06~0.08mm
材質	紙/ポリプロピレン
接続	USB
Flash	256KB
動作電圧	9V DC / 2A
充電電圧	7.4V DC
動作温度	0~50℃保存温度10~90℃
動作湿度	20~70%RH保存湿度5~95%RH
印刷速度	約30mm/s ASCII
その他	「1234」の印刷が可能











□□□□□□□□



Strong R&D, Efficient and Flexible Manufacturing



Professional Marketing and Sales Team



□ □ □ □ □ □ □ □

```
·POS[0][0][0][0][0][0][0][0][0][0][0][0][0][0][0][0];
```

•□□□□□500□□□□□;

·■■■■■■■■■■02■Star

·2600□□□□□□163□□□;

·□□□□□□□□24□□□□□□□□;

- 12 OEM / ODM
-
- ISO 9001 FCC CE RoHS Soncap SASO POA BIS
- MOQ
- 12 + 1
- “
- “”



2.&

3.

4.

5.00

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □