

POS POS

M / N POS-M1106-A

| Android 7.1

| RK3368 1.5GHz

2G RAM 8G eMMC

| 11.6

| 1366 * 768 1080P

| 58 / 80mm

| VFD LCD MSR RFID 1 / 2D

|

|

|

|

	RK3368 1.5GHz
	Android 7.1 Android 6.0
	2G + 8G ROM
SD	SD TF 32GB
	11.6
	1366 * 768 1920 * 1080P
	58mm 80mm
	ISO7811 1/2/3
RFID	ISO14443TypeA
	1D / 2D
	LCD / VFD
WIFI	802.11b / g / n
USB	5 USB2.0

RJ11	2 * RJ11
RJ45	1 * RJ45□□□100/1000□□
RS232	1 * RS232□□□□□3 RS232 prot□
□□	DC12V□5A
□□	5200mAh□□□□□□□□□□□□
□□□□	□□□□□-10°C□50°C □□□□□-20°C□60°C □□□□□10□□90□





POS-M1106-A





POS-M1106-A





POS-M1106-A





POS-M1106-A



□□□□

OCOM 的 POS 终端 ID 号 500 1

OCOM 的 POS 终端 DOT 号 POS POS ISO CE FCC BIS

2007 年 6 月 OCOM 通过 ISO9001 2008 年 159 / 2300 50 02 Equicom ...

OCOM 的 “ ” OEM / ODM

□□□□□□□□

▶ Company



▶ Certificates



▶ Payment



□□□□□□□□

· POS□□□□□□□□□□□□□□□□□□□□□□

· □□□□□□500□□□□□□□□

· 1□□□□□□□□□□□□O2□Star ...

· □□163□□□□/□□□2600□□□□□□

· □□□□□□□□□□□□24□□□□□□□□

· □□12□OEM / ODM□□□□□□□□□□

· □□□□□□□□□□□□□□□□

· □□ISO 9001□FCC□CE□Rohs□Soncap□SASO□POA□BIS□□□□□□□□□□

· □□□□□□□□□□□□□□□□□□□□□□

· □□□□□□□□12 + 1□□□□□□□□□□□□□□

· □□“□□□□□□□□”

· □□“□□□□□□□□□□□□□□□□□□□□□□”□□□□□□□□



