

- 3.\_\_\_\_;
- 4.00000000
- 5.\_\_\_USB
- 6.\_\_\_\_;
- 8.000000;
- 9. And roid SDK;
- 10.000000000000;
- 11. DEP SON ESC / POS

## 

	0000			
0000	5760/000005120/0;			
	000000024x24,180300000000000000000000000000000000000			
	A[]12 * 24[][]1.5[]W[]* 3.0[]H[]mm;			
	B[]9 * 17[][]1.1[][][] * 2.1[][][]mm			
	□□/□□□24 * 24□□3.0□□□* 3.0□□□mm			
	JUPC-A / UPC-E / JAN13[]EAN13[]/ JAN8[]EAN8[]/ CODABAR / ITF / CODE39 / CODE93 / CODE128[]QR[]			
	250 mm / sec[][][][]300mm / sec[][][]			
	USB_USB +USB + LAN_USB ++++USB++ USB+ USB + LAN			
	□□EPSON ESC / POS□□			
	☐Win9X / Window XP / Win VISTA / WIN2000 / Win2003 / Win / Win 7 8 / win8.1 / Linux☐☐			
	ESPON  SDK     Android			
	79.5±0.5 mm[][][][72]			
	83[[			
	0.06-0.08mm			
	DC24V / 2.5A			
	0-45			
	10-80[			
	190 * 145 * 145∏MM□			
	1.60			

P / N.		
OCPP -88A-U	USB	
OCPP -88A-UR	USB +000000000	
OCPP -88A-UL	USB + LAN0000000	
OCPP -88A-URL	USB +00+ LAN0000000	
OCPP -88A-W	00+ USB0000000	
OCPP -88A-BUL	00+ USB + LAN000000	
OCPP -88A-U0	USB	
OCPP -88A-UR0	USB +00000000	
OCPP -88A-UL0	USB + LAN0000000	
OCPP -88A-URL0	USB +00+ Lan00000000	
OCPP -88A-W0	00+ USB00000000	
OCPP -88A-BUL0	00+ USB + LAN000000	
	OCPP -88A-U OCPP -88A-UR OCPP -88A-UL OCPP -88A-URL OCPP -88A-W OCPP -88A-BUL OCPP -88A-UO OCPP -88A-UO OCPP -88A-UO OCPP -88A-UO OCPP -88A-UO	

## 

\*

<u>\*</u>\_\_\_\_

\*

\*\_\_\_\_WinXP Win2000 WinVista Win8-32bit

<u>\*</u>\_\_\_\_Win8-64bit

<u>\*</u>Linux

<u>\*</u>000000000

\*USB Printdemo

**\***SDK □□Android

<u>\*</u>