

USB80pos
(OCPP-80G)

pos , pos , pos

- 1.Desktop
- 2.Supports 1D QR
- 3.100M ,
- 4.Supports 256KB 2M
- 5.Supports ,
OPOS
- 6.Supports
- 7.3 260 mm/

pos , pos pos

	230/ 260/
	79.5±0.5mm
	Φ80mm
	0.06-0. 08
	576/line512 /
	3.75mm
	ESC/POS
	Serial+USB+Lan/36P port/25P + USB/
c	1million
print2009	100
	2048Kbytes
	256Kbytes
	AC110V/240V50 ~ 60
	DC 24 v/2.5A
	DC 24 v/1 a
	(0~45) (10~80%)n-
	(0-45) , (10-80%)n-
	(-10~60°C);humidity (10~90%)
	FontA: 1.5 * 3.0mm/FontB1.1 * 2.1mm
	upc-E/JA/EAN13/JAN8/EAN8/CODE39/ITF /CODE93/CODE128/QRCode/PDF417 ()
	PC347PC850PC860PC863-PC865 WPC1252PC866Cyrillic#2PC852Latin2 PC858IranIIPT1511251
	: 1.25Kg; : 190×145×143mm (* *)

pos , pos pos





www.ocominc.com

CE FCC





www.ocominc.com

CE FCC





□□□□:

*□□

*IP □□□□□□

*□□□

* □□ windows □□□□□□

*Linux □□□□

*□□□□□□□□

*cd □□