

pos80

OCPP -80G

spec

1. 1D/QR
2. 100M
3. 256KB NV Logo 2M
4. O POS
5. 260mm / s

dim

80mm pos 80

Weight	230g / 260g
Thickness	79.5±0.5mm
Width	Φ80mm
Barcode Height	0.06-0.08mm
Barcode Density	576 / line 512
Barcode Spacing	3.75
Barcode Type	ESC / POS
Ports	+ USB + Lan / 36P / 25P + USB / LAN
CPU	100
Power	100
Memory	2048Kbytes
NV Flash	256K
Power Input	AC110V / 240V 50/60HZ
Power Output	DC 24V / 2.5A
Power Consumption	DC 24V / 1A
Operating Temp	0-45 / 10-80 N
Storage Temp	0-45 / 10-80 N
Humidity	10-90%
Barcode Font	ANK FontA 1.5 * 3.0mm / FontB 1.1 * 2.1mm
Barcode Types	UPC-A / UPC-E / JAN/EAN13 / JAN8/EAN8 / CODE39 / ITF / CODE93 / CODE128 / PDF417
Barcode Standards	PC347 PC850 PC860 PC863 PC865 WPC1252 PC866 PC852 PC858 IranII PT151 1251
Dimensions	1.25; 190x145x143mm * * *

dim

80mm pos 80





www.ocominc.com





www.ocominc.com





□□□□

*□□

*IP□□□□□□

*□□□□□

*□□Windows□□□□□□□□

*Linux□□□□

*□□□□□□□□□□

*□□ □