

Φ58mm 1D Barcode USB
 M / N OCPP -C581

Product Description

Dimensions

90mm / standard
 Standard
 USB
 USB + LAN / USB + BT / USB + WIFI
 Standard
 nv logo
 Standard
 ESPON
 50KM
 60

Specifications

Resolution	384 / 203DPI
Barcode	384 / ANK A 12 * 24 1.5 W * 3.0 H mm / 24 * 24 3.0 * 3.0 mm
Barcode	JAN13 / EAN13 / JAN8 / EAN8 / CODE39
Protocol	EPSON ESC / POS
Speed	90 /
Accuracy	57.5 ± 0.5
Thickness	0.06-0.08mm
MCBF	50
Capacity	600,000
NV Flash	64KB
Cache	32KB
Size	169.3 * 122 * 113
Weight	1.2KG
Color	
Material	
Size	Φ60mm
Interface	USB / USB + LAN / USB + BT / USB + wifi MOQ = 120
OS	ESPON 9X / Win 2000 / Win 2003 / Win XP / Win Vista / Win 7 win8 win10
Power	AC 110V / 220V 50-60Hz
Power	DC12V / 2.6A
Power	DC12V / 1A
Temp	0-45°C / 10-80
Temp	-10-60°C / 10-90
Compliance	CE / FCC / CCC / RoHS

□□□□□



▶ Picture Show



OCPP-C581





OCPP-C581



注意：切刀被卡住操作方法
可关闭电源重启，使打印机切刀复位，如不恢复正常，
打开此盖，手动调节内旋钮，缓慢转动使切刀复位。





OCPP-C581





OCPP-C581





OCPP-C581





OCPP-C581



▶ Company



▶ Certificates



▶ Payment



▶ Contact us

