

□□□□□□□□□□□□□□□□

□M / N□OCBS -T2001□



□□□

□□□□□

□□□□□□1D / 2D□□

□□□□□□

□□Windows□Android□Linux□□

□□□

□□□□		
□□□□□		640×480 CMOS
□□□□	1D	Code 128□UCC / EAN-128□AIM 128□EAN-8□EAN-13□ISSN□ISBN□ UPC-E□UPC-A□Interleaved 2 of 5□ITF-6□ITF-14□Matrix 2 of 5□ European Matrix 2 of 5□Industrial 25□Standard 25□Code 39□Codabar□Code 93□Code 11□Plessey□MSI- Plessey□RSS-14□RSS-Limited□RSS-Expand
	2D	PDF417□QR□□DATAMATRIX
□□□		≥5mil
□□□□□		QR□□30MIL□0-15CM □□128□10MIL□0-12CM
□□□□		□□±60°@ 0°Roll□0°Skew □□360°@ 0°□□□0°□□ □□±55°@ 0°□□□0°□□
□□□□		≥30□
□□		□□RS-232□USB
LED□□□		□□□□□□□
□□□□		
□□□□		IP5X
□□□□		-20°C□50°C
□□□□		-40°C□70°C
□□		5□□95□□□□□□□
□□□□		
□□		USB□228g RS232□261g

尺寸	102 * 82 * 73mm
电压	5V + 0.25V
功率	430mW
电流	待机 < 200mA; 工作 150mA ± 15mA; 峰值 80mA ± 2mA





OCBS-T2001



OCOM

500 100

12 + 1 24

30 DOA DOA

4.

T / T LC Western Union Escrow T / T Western Union Escrow Paypal Escrow Alipay.com Moneybookers Visa MasterCard Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro6000

5.

6.

Eruopean

133 1300 O2 500 50

OCOM

500 POS

O2 Star

1500 133

9 OEM / ODM

POS

FCC CE Soncap POA BIS

12 + 1

“ ”