

□M / N□OCBS-2009□

111

$\tilde{n}$ □□□□□□;

$\tilde{n}$ □□□□□□□□;

$\tilde{n}$ 是 非 零 正 整 数；

ñ C□□□□□□□□□□□□□□□□;

ñ 4MIL □□ □□□□ ;

 $\tilde{n} \in \mathbb{N} \cup \{\infty\};$ $\tilde{n} \ll 1$;

ñ □□□□□

103

□□□
 □□□□
 □□
 □□
 □□□□
 □□□1D

640 * 480 256gray□□

□□□□□□□□□□

2m

□□□□630nm□10nm□+

USB USB COM

TRIOPTIC / MSI / Plessey

UPC-A UPC-E EAN-8 EAN-13 ISBN ISSN TELEPEN UCC / EAN-128

5 128 11 2 5 2 5 INDUSTRIAL 2

2of 55 NEC 20039003900ASCII Code 9300000/ NW70UK / Plessey00TLC3900GS1
DabbarRSS

2D

PDF417 QR MAXICODE Martix

39	5MIL	50	120
UPC / EAN	13mil	20	320
	7.5mil	63	150
PDF417	6.6mil	62	145
45		30	
			LED

182 * 65 * 109	L * W * H
195	
	200
ABS + PC	
+ 5V + 5	
40	

-20°C	60°C
-30°C	70°C
0	95
IP54	
CE	FCC
	ROHS

[- 2009 1D / 2D](#)

[1D / 2D](#)



OCBS-2009



www.ocominc.com

CE FCC





OCBS-2009



www.ocominc.com

CE FCC









□□□□

ñ □□□□

ñ □□□□

ñ □□□□

ñ □□□

ñ POS□□

ñ □□□□

ñ □□termina

ñ □□

ñ □□□□

ñ POS□□□

ñ POS□□

ñ □□□

ñ □□□□

ñ □□□

□□□□

[OCOM](#) [POS](#) [Auto-ID](#) [TUV](#) OCOM 500 1

assurance guarantee

OCOM [POS](#) [Auto-ID](#) [TUV](#) OCOM 500 1

OCOM [POS](#) [Auto-ID](#) [TUV](#) OCOM 500 1