

POS 58mm

POS -T1

OS

Android 7.0

MT8735V64 ARM Cortex A53 1.3 GHz

5.0; 720 * 1280 TFT

1gb Ram & 8gb;

4.35V 4000mAh 10

2M 1d & 2d 58mm

Wifi 2.4G V4.1 + HS 2G / 3G / 4G GPS

IC

1.2

PCI EMV L1 EMV L2 EMV CL L1 ROHS PayPass PayWave / CCC

PBOC L1 PBOC L2 QPBOC L1 QPBOC L2

QUICS UPTS2.0

OS

OS

OS	Android 7.0
RAM	1GB
Storage	8GB
Screen	5.0"
Resolution	720 * 1280
Battery	4000mAh 4.35V
Network	V4.1 + HS
GPS	2.0
Positioning	
Dimensions	58mm * 30mm
Ports	USB
Weight	1.2
POS	
IC	ISO7810 / 7811/7812
IC	ISO7816
Payment	ISO / IEC 14443 A & B Mifare NFC EMV / PBOC PAYPASS
PSAM	
Payment	PCI EMV L1 EMV L2 EMV CL L1 ROHS PayPass PayWave / CCC PBOC L1 PBOC L2 QPBOC L1 QPBOC L2 QUICS UPTS2.0
Network	
Network	FDD-LTE TDD-LTE UMTS / HSDPA / HSPA / HSPA + CDMA EV-DO Rev.A GSM / EDGE / GPRS
Network	FDD-LTE B3 B8
Network	TDD-LTE B38 B39 B40 B41
Network	UMTS / HSDPA / HSPA / HSPA + 850,900,1900,2100 MHz
Network	CDMA EV-DO Rev.A 800MHz
Network	GSM / EDGE / GPRS 900,1800,1900MHz
WLAN	IEEE802.11.b / N / G
Dimensions	
Dimensions	193mm x 80mm x 54.5mm
Weight	425g
Temperature	-10°C ~ 55°C
Temperature	-20°C ~ 70°C

□□	20□~93□□40°RH□□□
□	1pc□20 * 16.5 * 6.5cm / 0.75kgs
	20□□42.5 * 35 * 27cm / 12.9kgs

▶ Picture Show



T1



















▶ Company



OCOM

500 100

12 + 1 24

30 DOA DOA

4.

T / T LC Western Union Escrow T / T Paypal Moneybookers Visa MasterCard Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro6000

5.

6.

Eruopean

159 2200 O2 500 50

OCOM

- 500 POS
- O2 Star
- 2300 159
- 11 OEM / ODM
- POS 1
-
- ISO FCC CE Soncap POA BIS
- 12 + 1
- “ ”
-