

□□□□□□□□□□□□□□□□□□

□M / N□OCBS -A100□

□□□

□□□□ Android 7.1;

2G RAM + 16G ROM;

4.0□□480 * 800 WVGA IPS□□;

□□□□□□□□;

□□ 4G □□;

2.4G + 5G□□wifi□ □□;

□□□□□□□□□□3.7V□ 3200Ah□□;

□□□IP54 /1.5□□□□;

800□□□□□□□□□□□□□□LED□□□;

1D / 2D□□□□□□□□□□

□□	
□□□□	
□□	162□□□□□□x73□□□□□□x20□□□□□□±2□□
□□	□□□266□□□□□□□□□□
□□	4.0□□TFT-LCD□WVGA 480x800□□□□□□□□
□□	LED□□
□□	3□TP□□23□□□□□□4□□□
□□	2 SIM□1 TF
□□	□□□□□□□□□□3.7V□3200mAh
□□□□	
□□□□□□	□□□□
□□□□	Android 7.1
□□	2GB RAM□16GB ROM□MicroSD□□□32GB□□□
□□□□	
□□□□	-20°C□50°C
□□□□	-20°C□70°C
□□	5□RH□95□RH□□□□□□
□□□□	□□□□□□□□□□5□□/1.5□□□□□□□□
□□	IP54□□□IEC□□
□□□□	
SDK	HHW□□□□□□□□
□□	Java□
□□	Android Studio□Eclipse
□□□□	
WWAN	TDD-LTE□FDD-LTE
WLAN	IEEE 802.11 a / b / g / n 2.4G + 5G
WPAN	□□v4.1 + BR / EDR + BLE
□□□□□□	
□□□□□□□□□□	

1D		uE9664313
	2D CMOS	ME548003680
		PDF417 MicroPDF417 Com pos ite RSS TLC-39 Datamatrix QR Micro QR Aztec MaxiCode Pos tal Net Pos tal Pos tal Pos tal Pos tal
RFID		
RFID HF		13.56MHz
		ISO 14443A& 15693
	R / W	28
		1xPower 1x 1xDC 1xUSB





OCBS-A100





OCBS-A100





OCBS-A100





OCBS-A100







OCBS-A100

