

Feautre

1MP 1MP 1280 * 800;
4mil

	USB; RS232
	LinuxAndroidWindows XP7810MAC
	; ; ; ;
	CMOS
	LED+LED
	32ARM MCU + DSP
	Code3935cm /
	400
	1/5
	LED
	20
	ABS +PC
	5V±5
	375mW; 226mW; 750mW
	145.0g±5g
	*164.5 * 91.5 * 68.0mm
	+

規格	1D	●25mm●25mm-25mm
		●39mm●39mm-ASCII●32
		●93mm●93mm-ASCII●128
		●EAN / GSL / UCC-128Auto●Codabar●MSI
		●EAN / JAN-13●UPC-A●JAN-8●Code11●UPCE0
	2D	●MICRO QR●QR
		●AZTEC●PDF417
規格		360°30°45°
規格	Code39 4.17mil15mm6cm-12cm	
	Code128 4.17mil16mm7cm-10cm	
	10.83mil8 bytes5cm-16cm	
	QR 1083mil8 bytes7cm-12cm	
規格		
IP	IP52	
規格	050°C/ 32122°F	
規格	050°C/ 32122°F	
規格	2085mm	
規格	2085mm	
規格	15KV	
規格	1.5mm	



OCBS-2018





OCBS-2018





OCBS-2018





OCBS-2018





OCBS-2018





OCBS-2018



OCBS-2018

OCOM 台灣製造 POS 掃描器 ID 掃描器 掃描距離 500mm 掃描速度 1 秒掃描一次

OCOM 台灣製造 掃描器 DOT 掃描器 掃描距離 500mm POS 掃描器 POS 掃描器 掃描距離 500mm ISO CE FCC BIS 認證

2007 年 6 月 1 日 OCOM 通過 ISO9001 2008 年 12 月 1 日 通過 ISO14001 159 號 / 2300 號 50 號 02 Equicom ...

OCOM 台灣製造 掃描器 “OCBS-2018” 掃描器 掃描距離 500mm OEM / ODM

OCBS-2018

► Company



► Certificates



► Payment



OCOM

· POS

· 500

· 1 O2 Star ...

· 163 / 2600

· 24

· 12 OEM / ODM

·

· ISO 9001 FCC CE Rohs Soncap SASO POA BIS

·

· 12 + 1

· “

· “



OCOM

