

OCOM POS 80 POS

OCPP -80G

POS

1. POS
2. POS
3. 100M POS
4. 256KB NV 2M
5. O POS
6. POS

POS

POS	POS
POS	230mm / 260mm
POS	79.5±0.5
POS	Φ80
POS	0.06-0.08
POS	576 / 512
POS	3.75mm
POS	ESC / POS
POS	+ USB + Lan / 36P / 25P + USB / LAN
POS	100KM
POS	100KM
POS	2048KB
NV Flash	256KB
POS	AC110V / 240V 50/60
POS	24V / 2.5A
POS	24V / 1A
POS	0-45 10-80
POS	0-45 10-80
POS	-10 60°C 10 90
POS	ANK A 1.5 * 3.0mm / B 1.1 * 2.1mm
POS	UPC-A / UPC-E / JAN EAN13 / JAN8 EAN8 / CODE39 / ITF / CODE93 / CODE128 / QRCode / PDF417
POS	PC347 PC850 PC860 PC863 PC865 WPC1252 PC866 PC852 2 PC858 PT151 1251
POS	1.25Kg; 190×145×143mm * * *



OCPP-80G





OCPP-80G





OCPP-80G





OCPP-80G





OCP-80G





OCP-80G



ocom
At your side



CE FC   