

80mm

OCBP-T31

# Product Description

Features

- 
- 
- 
- 
- 
- 4MB DRAM 4MB FLASH
- 
- BMP PCX BAC
- USB USB +
- PDF417 QR DOTMATRIX;

Specifications

Model	OCBP-T31
DPI	203 DPI 8 / mm
Resolution	
Resolution	
Position	
	127 / ; 50.8 /
	16 ~ 76
	25mm; 80mm
Font	FONT 0 FONT 8;
	1 10; 0 90 180 270 360
	4MB 4MB DRAM
	PCX BMP FLASH DRAM
	CODE128 EAN128 ITF Code39 Code93 EAN13 EAN13 + 2 EAN13 + 5 EAN8 EAN8 + 2 EAN8 + 5 CODABAR POS TNET UPC-A UPCA + 2 UPCA + 5 UPC-E UPCE + 2 UPCE + 5 C POS T MSI MSIC PLESSEY ITF14 EAN14 PDF417 QR DATMATRIX
	USB USB +
	AC110V-240V

□□	□□□□□5°C□45°C □□□□□-40°C□55°C □□□□□20□~80□□□□□□□□□□ □□□□□<= 93□□40°C□□□□□□□□□□
□□	□□□□D230mm * H163mm * W152mm
□□	1.48□□

▶ Picture Show





OCBP-T31





OCBP-T31





OCBP-T31





OCBP-T31





OCBP-T31





OCBP-T31





OCBP-T31



## ▶ Company



## ▶ Certificates



## ▶ Payment



## ▶ Contact us



Moneybookers Visa MasterCard Maestro Solo Carte Bleue Pos  
tePay CartaSi 4B Euro6000

5.

6.

Eruopean

159 2300 02 500 ..... 50

OCOM

- 500 POS
- 02 Star .....
- 2300 159;
- 11 OEM / ODM
- POS
- 
- ISO FCC CE Soncap POA BIS
- 12 + 1
- “”
- 

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM POS POS POS POS  
ISO CE FCC

OCOM “” OEM / ODM