

□□	1D□□□□□□39□□□□93□□□□128UCC□□□□128□□A□B□C□Codabar□□□□2□ean-8□EAN-13□EAN-128□UPC-A□UPC-E□EAN□UPC 2□5□□□□□□□MS□Plessey□POS TNET□□□□POST 2D□□□□PDF-417□Maxicode□DataMatrix□QR□
□□	Bimap□BMP□PCX□□□□256□□□□
□□□□□□□□	0°□90°□180°□270°
□□□□□□	TSPL.
□□	□□□□5□40°C□25□85□□□□ □□□□-40□60°C□10□90□□□□
□□	①Windows□□□□CD□;②□□□□;③USB□;④□□□□;⑤□□□□□□□□;⑥□□□□□□□□x 2□1.5"□□□□□x 2;⑦□□□□;⑧media
□□□□□□	□□□□□□□□□□□□□□□□□□□□□□0.06□0.19mm□500000□□; 0.20□0.25mm□200000□□□□
□□□□	□□□□□□□□□□OD□ 214□□□□8.4"□□□□25.4□□□□1"□□□□□□□□□□□□□□□□□□□□□□802.11 B / G / N□□□□□□□□□□RFIDModule□





OCBP-012





OCBP-012





OCBP-012





OCBP-012

