

Android 80mm

OCPP -80G



1.

1. 100M

2. 256KB NV

3. 100M

4. 256KB NV 2M

5. POS

POS

6. 100M

Table

Dimensions (L x W x H)	230mm / 260mm / 79.5±0.5mm
Weight	Φ80mm
Thickness	0.06-0.08mm
Resolution	576x512
Print Speed	3.75mm/s
Supported Protocols	ESC / POS
Connectivity	USB + USB + Lan / 36P / 25P + USB / LAN
Power Consumption	100W
Memory (RAM)	2048KB
Memory (Flash)	256KB
Voltage	AC110V / 240V 50/60Hz
Current	24V / 2.5A
Power Supply	24V / 1A
Operating Temperature	0-45°C / 10-80°C
Storage Temperature	0-45°C / 10-80°C

温度	10~60°C / 湿度 10~90%
紙張	ANK A 1.5 * 3.0mm / B 1.1 * 2.1mm
規格	UPC-A / UPC-E / JAN EAN13 / JAN8 EAN8 / CODE39 / ITF / CODE93 / CODE128 / QRCode / PDF417
対応	PC347 / PC850 / PC860 / PC863 / PC865 / WPC1252 / PC866 / PC852 / PC858 / PT151 / 1251
重量	1.25Kg / 190x145x143mm



ocom
At your side



CE FC   



OCPP-80G



