

80mm

OCPP -80M

260mm /
 100
 + USB + LAN
 12 * 24
 9 * 17
 24 * 24
 576 / 512
 PC347
 PC850 PC860
 PC863 PC865
 WPC1252 PC866 2 PC852 2
 PC858 2 PT151 1251
 UPC-A / UPC-E / JAN13 EAN13 / JAN8 EAN8 / CODABAR / ITF /
 CODE39 / CODE93 /
 128
 260
 1024K
 79.5±0.5
MCBF 100
 ESC / POS
 DC24V / 1A
 0.06-0.08
 79.5±0.5*φ83
 + USB +
 Win 9X / Win ME / Win 2000 / Win 2003 / Win NT / Win XP / Win Vista
 / win 7&8 / Linux/ win10
 DC24V / 2.5A
 AC 110V / 220V 50 60Hz; 24V / 2.5A
 1 85x140x134 * *
 1.48

	ANK A 12 * 24 FontB 9 * 17 / 24 * 24
	576 / 512
	PC347 PC850 PC860 PC863 PC865 WPC1252 PC866 2 PC852 2 PC858 2 PT151 1251
	UPC-A / UPC-E / JAN13 EAN13 / JAN8 EAN8 / CODABAR / ITF / CODE39 / CODE93 / 128
	260
	1024K
	79.5±0.5
MCBF	100
	ESC / POS
	DC24V / 1A
	0.06-0.08
	79.5±0.5*φ83
	+ USB +
	Win 9X / Win ME / Win 2000 / Win 2003 / Win NT / Win XP / Win Vista / win 7&8 / Linux/ win10
	DC24V / 2.5A
	AC 110V / 220V 50 60Hz; 24V / 2.5A
	1 85x140x134 * *
	1.48



OCPP-80M





OCPP-80M





OCPP-80M





OCP-80M

