



光源	LED
光斑直径	35mm
扫描角度	0-360° 俯仰 ±65° 偏航 ±60°
防护等级	
IP等级	≥IP54
工作温度	0-50°C / 32-122°F
存储温度	0-50°C / 32-122°F
工作湿度	5-95% 非冷凝
存储湿度	5-95% 非冷凝
静电放电	15KV
重量	1.5Mg





OCBS-W234





OCBS-W234






OCBS-W234





OCBS-W234





OCBS-W234







OCBS-W234







OCBS-W234





OCBS-W234









## ▶ Company



## ▶ Certificates



## ▶ Payment





□□□□□□□□

·POS□□□□□□□□□□□□□□□□□□

·□□□□□□500□□□□□□□□

·1□□□□□□□□□□□□O2□Star ...

·□□163□□□□/□□□2600□□□□□□

·□□□□□□□□□□□□24□□□□□□□□

·□□12□OEM / ODM□□□□□□□□□□□□

·□□□□□□□□□□□□□□□□□□

·□□ISO 9001□FCC□CE□Rohs□Soncap□SASO□POA□BIS□□□□□□□□□□

·□□□□□□□□□□□□□□□□□□□□□□□□

·□□□□□□□□12 + 1□□□□□□□□□□□□□□

·□□“□□□□□□□□”

·□□□□“□□□□□□□□□□□□□□□□□□□□□□□□”□□□□□□□□





