

Long Rangemin Android

OCBS -LA09



OCBS-LA09



Spec

200scan / sec

;

;

KBW RS232 USB;

Table

	650nm
	200
	32
	2.5~600mm 100 UPC / EAN
	50mm @ 60mm 220mm @ 200mm
	3mil / 5mil
	30

□□□□	UPC / EAN□□□□□□UPC / EAN□UCC / EAN 128□□□ 39□Code 39 Full ASCII□Trioptic Code 39□Code 128□Code 128 □ASCII□Codabar□Interleaved 2 of 5□Discrete 2 of 5□Code 93□MSI□Code 11□RSS□□□ □□2 of 5□MSI / Plessey□UK / Plessey□UCC / EAN 128□□□□□□□□GS1 DataBar □RSS□□□
□□□□	±65°□□□□; ±60°□□□□; ±42°□□□□
□□□□	
□□ □□□	PS2□RS232□USB□□□□
□□	5V DC±5□
□□	85 mA□□□□; 100□□□□
□□□	□□□□LED
□□	ABS + PC
□□	□
□□□□	156 * 68 * 83 mm□□*□*□□
□□□	235□
□□□	□□
□□□□	
□□□□□	0°C□45°C
□□□□□	-40°C~60°C
□□□	5□-90□□□□□□□
□□□□□	□□+/- 15KV□□□□□□+/- 8KV□□□□□
□□ □□	0~100,000 LUX
□□□□	□□□□□1.5□□□□□□□□□□
□□□□	EN60825-1□Class 1

□□



1/1;

20/1148 * 37 * 49 17.5



OCBS-LA09



3. 3

OCOM

500 100

12 + 1 24

30 DOA DOA

4. 4

T / T LC Western Union Escrow T / T Western Union Escrow Paypal Escrow Alipay.com Moneybookers Visa MasterCard Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro6000

5. 5

6. 6

Eruopean

133 1300 O2 500 50

OCOM

500 POS

O2 Star

1500 133

9 OEM / ODM

POS

FCC CE Soncap POA BIS

12 + 1

"