

MSR605 3Wirtter
MSR605

ISO;
 /;
 121;
 75/210 BPI;
 ;
 /;
 DMV / AAMVA;
 300~4000Oe;

MSR605

MSR605	Track1 / Track2 / Track3
MSR605	210 bpi 75 / 210bpi 210 bpi
MSR605	300-4000 oe Mag.card
MSR605	0.76-1.2mm
MSR605	5-55ips
MSR605	5-30ips
STD	+/- 15
MSR605	< +/- 10 < +/- 12
MSR605	< 0.5 < 0.8
MSR605	500K
MSR605	USB
MSR605	DC + 9V 2A
MSR605	212x64x63mm
MSR605	1
	1
	1 MSR605 CD
	1 PDF
MSR605	Windows XP / Vista 32 64
MSR605	DOS / Linux / Windows 95/98 / Me / 2000 / NT / XP / VISTA / Windows 7
MSR605	CE FCC UL CUL ROHS

MSR605



□□

□□□□□□□□□□□□□□
□□□□□□□□ID□□□□ID
□□□□□□□□□□□□□□
□□□□□□□□□□□□□□
□□□□□/□□□□□□
□□□□□□□□□□
□□□□□□□□□□
□□□□□□□□□□
□□□□□□□□□□□□□□
□□□□DMV□
□□□□□□□□□□□□□□ID

□□□□

