

**ISO**  
**MSR605**

0000

00 00	
0 00	Track1 / Track2 / Track3
0000	210bpi 75 / 210bpi 210bpi
0000	0/0300-4000 oe Mag.card
0000	0.76-1.2mm
00000	5-55ips
00000	5-30ips
STD0000	+/- 15
0000	00+/- 1000000+/- 12
0000	00& 0.5 0.8
0 000	000 500K000/00
00 00	
000	USB
000	DC + 9V 2A
000	212L x64Wx63Hmm
000	10000
	100000000
	1 MSR6050000
	100000PDF00
00	
00 00000	00 XP / Vista 3264000
0000000	DOS / Linux Windows 95/98 / Me / 2000 / NT / XP / VISTA / Windows 7
00	
000	CE FCCULCULROHS

0000



**ocom**  
All your side

**Magnetic Card Reader/Writer**  
**MSR605**

**Product Picture**





## Features

### **Simple but not easy**

Reading/Writing magnetic stripe card  
complied with ISO formats;



Sequential write function,  
up to 12 digits (1 up)



up to 12 digits (1 up),  
All 3 tracks can set to 75/210 BPI;

Writing and verifying data on single,  
dual, or triple track in one swipe;



Programmable leading bit, raw data,  
DMV/AAMVA, and user defined format;



High/Low Coercive encoding  
circuitry selectable on screen;  
Read and Write High & Low  
Coercive force of magnetic stripe;



## All-round show





## Application Area

Financial Banking: Credit Card, Debit Card, Bank Card  
Retail: Gift Card, Customer ID, Store ID  
Government: Driver License, Health Card, Government ID  
Any movable data collection Trade shows, Racing events  
Employee's Time / Attendance data collection  
Exhibition visitors' data collection, Conference attendants data collection  
Card Verification: Age verification  
Point of Sales: Payment collection, Credit card data collection  
Law Enforcement: DMV card  
Attendance: Student ID, Membership Card, Club ID



## Parameter

Performance Characteristics	
Read card:	Track1 /Track2/ Track3
Bit per density:	210 bpi 75/210bpi 210 bpi
Coercive force:	Read/write 300-4000 oe Mag.card
Card thickness:	0.76-1.2mm
Reading speed:	5-55ips
Writing speed:	5-30ips
STD card Jitter:	+/-15%
Write jitter:	Interval < +/- 10%, Sub-interval < +/- 12%
Error rate:	Read < 0.5% Write < 0.8%
Head life:	Min. 500K swipes for both read/write head
Physical Characteristics	
Interface:	USB
Power:	DC+9V, 2A
Dimension:	212(L) x 64(W) x 63(H) mm
Accessories:	1 magnetic head clear card
	1 Power Cord with Adapter
	1 MSR605 Software CD
	1 Instruction Manual PDF Format
Software	
Program software support:	Windows XP/Vista 32 or 64 bit systems
Operation System support:	DOS/Linux and Windows 95/98/Me/2000/NT/XP/VISTA/Windows 7
Safe	
Certificate:	CE, FCC, UL, CUL, ROHS

## Production Line





## Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
✓	Thermal Printer	40,000 Sets / Month	250,000 Sets
✓	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
✓	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
✓	Barcode Scanner	40,000 Sets / Month	20,000 Sets
✓	POS Machine	5,000 Sets / Month	10,000 Sets
✓	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets



## Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.


## Test Equipments

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No Information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

## Certifications



## Packing and Shipment



Double wall corrugated board



Double outer cartons

Marks and fragile stickers



Outer protective film



## Payment





## Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.





## Why you choose us?



## Company Profile

**This Assessed Supplier Has Been Independently Verified**

Build Your Growth On Trust



TÜV Rheinland





FORTUNE 500  
Precisely Right.



OCOM Technologies Limited founded in 2007, it is one of leading suppliers of POS and Auto-ID related products from China.

OCOM's products portfolio covers Thermal Printer, Dot Matrix Printer, Barcode Printer, Barcode Scanner, Magnetic Card Reader, POS Terminal, and POS peripherals. Our products have passed CE, FCC, RoHS and other required certificates, and hot selling in Europe, Australia, Asia, and other area.



OCOM has a professional teams including marketing, R&D, quality control, production and sales service. The management members have worked in the FORTUNE 500 companies as senior managers for many years, All of the sales have more than 5 years experience, which help us to meet and exceed the customers' satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the mass production capabilities that produce thousands of printers and scanners a week. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

"Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.





## Contact us

**Any queries, please contact us immediately, big surprise is waiting for you.**

**Sales Center:**

Address: Unit 701, Block 14, Zhongxing Industrial Park, Chuangye Road, Nanshan District,  
Shenzhen 518054, China;

Websites: <http://www.possolution.com.cn> ; <http://www.ocominc.com> ;

E-mail: [ocom@ocominc.com](mailto:ocom@ocominc.com) , [ocomtech@gmail.com](mailto:ocomtech@gmail.com) ;

Skype: ocominc2000, ocominc;

MSN: [ocomtech@hotmail.com](mailto:ocomtech@hotmail.com), [ocominc@hotmail.com](mailto:ocominc@hotmail.com);

Trademanager: szocominc, cn1500439666;

QQ: 2485890637, 190852203;

Tel/Fax: +86.755.8605.3207.



□□□□

□□□□□□□□ormation□□ □□□□

□□  
□□□□