

58

OCPP-M13



WindowsAndroidIOS

AndroidIOSSDK

57 * 40

7.4V1600mAh

90mm /

50km

ESC / POS;

	ESC/ POS
	48
	90mm / sec
	8/203dpi
	12x24 / 24x24
	32/ 16

尺寸	1.5 x 3.0英寸x英寸/ 3.0x3.0英寸x英寸
厚度	58.0±0.1mm x英寸40.0mm
重量	0.06~0.08mm
接口	USB/蓝牙
闪存	256KB
电压	9V DC / 2A
温度	~7.4V
湿度	10%-10%50°C~10%~90%
寿命	~20~70~5~95%

OCPP-M13



Qualified By Fortune 500 Companies

□□□□□

OCOM□□□□□POS□□ID□□□□□□□□□□□□□□500□□□□□□□□□□□□1□□□□□□□□

OCOM DOT POS POS
ISO CE FCC BIS

20076 OCOM ISO9001 2008 159 /
2300 50
02 Equicom ...

OCOM “ ”
OEM / ODM

□□□□□□□□

► Company



► Certificates



► Payment



□□□□□□□□

- POS
- 500
- 102 Star ...
- 163 / 2600
- 24
- 12 OEM / ODM
-
- ISO 9001 FCC CE Rohs Soncap SASO POA BIS
-
- 12 + 1
- “
- “ ”



