

n ESC / POS

mm

mm x mm x mm	105x75x45mm	
g	134g	
mm	mm	
mm	mm	
mm	ESC / POS	
mm	48mm	
mm	mm/90mm / sec	
mm	8 / mm 203dpi	
mm	12x24 / 24x24	
mm	32 / 16	
mm	1.5x3.0mm WxH / 3.0x3.0mm WxH	
mm	58.0±0.1mm x 40.0mm	
mm	0.06x0.08mm	
mm	mm/mm	
mm	USB RS-232	
mm	256KB	
mm	9V DC / 2A	
mm	7.4V DC / 1500mAh; 4-5mm 120-150mm	
mm	mm	
mm	mm-10 50°C mm 10 90	
mm	mm-20 70°C mm 5 95	
mm	mm mm 30 ASCII	
mm	mm "1234" mm 6	
mm	3.5 * 1.1mm	
mm	OCPP-M06-BB	Android USB + COM + mm
	OCPP-M06-BB-AI	Android + IOS USB + COM + mm
	OCPP-M06-B	Android USB + COM + mm;
	OCPP-M06-U	mm Android USB + COM mm
	OCPP-M06-BB-AA	Android + IOS USB + COM + mm 7 Android + 1 mm

mm



mm

mm Mini TAXI mm
 mm Mini mm

