### 

## ||||||||OCBS-W700

### ПППППП

000000	
	650nm_
	160\[\text{\tin}\text{\tint{\text{\tin}\text{\texi\tin}}\\ \tint{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\texi}\tinz{\text{\texi}\tint{\text{\texi}\tin}\tint{\text{\text{\text{\texi}\tinichtet{\text{\texit{\text{\tet{\text{\text{\texi}\tint{\text{\texi}\text{\texit{\text{\t
	300G
	ABS + PC
00000	
	2000@0000
	26000@26000
	4MIL_0.1/ 5-60mm
	5MIL_0.12/ 10-100mm
	[]10mil[]0.25mm / 15 - 250mm[]
	35mil_0.89/ 140-600
	43mil_1.1/ 150-800
	120[]/[
	0.10PCS0.9_
	1 / [600 []
	32°
	68°
Avertence	52°
00000	2.4GHz[]
	200000
00000	USB
00000000	
00000	20000
00000	1000000
00000	5V

### 



# Product Picture











## All-round show





## Parameter

PHYSICAL CHARACTERSTICS	
Light Source	Visible Red Laser 650 nm
Scanner Dimensions(W * H * D)	160mm * 70mm * 40mm
Weight	300G
Material M	ABS+PC
Scanning Mode V	One line scanning; Manual / Automatic
Indicator Way	Buzzer and Indicator Light
PERFORMANCE CHARACTERSTICS	WW.
Width of Scan Field	20mm@scanner window 260mm@260mm
Depth of Scan Field	4mil (0.1mm)/5-60mm
	5mil (0.12mm)/10-100mm
	10mil (0.25mm)/15-250mm
	35mil (0.89mm)/140-600mm
	43mil (1.1mm)/150-800mm

Scan Speed	120 scans/sec	
Scan Precision	0.10mm (pcs0.9)	
Printing Contrast	Minimum 30% reflection difference	
Error Rate MV	1/(6million)	X
Decode Capability	International general 1D barcodes	3,
Current	60mA (working); ≤ 5uA(standby)	
Scanning Corner	32*	
Scanning Elevation	68*	
Scanning Angle of Avertence	52*	
Working Frequency	2.4GHz	
Communication Distance	100m (Open Places) 20m (Indoor)	
Communication Interface	USB	
USER ENVIRONMENT CHARACTE	RSTICS	
Drop Specification	2m free fall	
Laser Level	Level-1 laser safety standard	
Charge Power	SVDC	

## Shipping and payment

- 1. 1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
- 2. EXPRESS: around 3-7 working days to arrive
- INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port

acominc.com

- 4. By sea: depend on which destination port
- 5. T/T
- 6. Western Union
- 7. Escrow
- L/C

Company Profile

40 10.



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.

We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,

Together we quest for the best.













####