

1D 2D QR

M / N OCBS-W235



□□

| □□□2.4G + USB□□

| 100□□□□□□□□□□

| □□□□□□□□15000□

| □□□□□□□□□□□□

| □□□□□□□□□□

| □□□□□□□□□□600□□□

| □□□□□□□□□□

□□	CMOS
□□□□□	32□
□□□□□	1MP□1280 * 800□
□□□□	2.4G + USB□2.4G + Bluetooth + USB□□□□
□□□□□	2D□PDF417□Micro PDF 417□QR Code□QR1 / 2□Micro□□□□□□Aztec□□□□□□□□
	1D□UPC-A□UPC-E□EAN-8□EAN-13□Code128□Code39□Code 93□Code32□Code11□Codabar□Plessey□MSI□□□2 of 5□IATA 2 of 5□□□2 of 5□□□2□5□Pharmacode□RSS-14□RSS-14□□□RSS-14 Limited□Com pos ite Code-A□Com pos ite Code-B□Com pos ite Code-C□

□□	1D≥400□□0.10□□□
□□	2D≥700□□0.10□□□
□□□□	□39-5mil□60mm-120mm
	UPCA-13mil□100□□□35mm-310mm
□□□□□	□□1/8□□
□□□□□□□	≥30°
□□□□	□□□□□□□55°□□□55°
□□	1500mAh□20000□□□□□□□□
□□□□	5VDC±10□
□□	□□□250mA±5□
□□□□	0°C□+ 50°C
□□□□	-40°C□+ 70°C
□□	5□-95□



OCBS-W235





OCBS-W235





OCBS-W235





OCBS-W235





OCBS-W235





# OCBS-W235



□□□□

OCOM □□□□□□ POS □□ ID □□□□□□□□□□□□ □ 500 □□□□□□□□□□□□ □ 1 □□□□□□□□

OCOM □□□□□□□□□□□□□□□□ □ DOT □□□□□□□□□□□□□□□□ □ POS □□□□□ □ POS □□□□□□□□□□□□□□ □ □ □□□□□□□□□□□□□□□□ □ ISO □ CE □ FCC □ BIS □□□□□□□□□□

□ 2007 □ 6 □□□□□□ □ OCOM □□□□ □ ISO9001 □ 2008 □□□□□□□□□□□□□□□□□□□□ □ 159 □□□/□□ □ 2300 □□□□□□□□□□ □ 50 □□□□□□□□□□□□□□□□□□□□□□□□□□□□ □ □ □ □ O2 □ Equicom ...

OCOM □□□□□□□□□□□□□□□□□□□□□□ □ "□□□□□□□□□□□□" □□□□□□□□□□□□□□□□□□□□ □



□OEM / ODM□

□□□□□□□□

## ▶ Company



## ▶ Certificates



## ▶ Payment



□□□□□□□□

·POS□□□□□□□□□□□□□□□□□□

·□□□□□□500□□□□□□□□

·1□□□□□□□□□□□□O2□Star ...

·□□163□□□□/□□□2600□□□□□□

·□□□□□□□□□□24□□□□□□□□

·□□12□OEM / ODM□□□□□□□□□□

·□□□□□□□□□□□□□□□□

·□□ISO 9001□FCC□CE□Rohs□Soncap□SASO□POA□BIS□□□□□□□□□□

·□□□□□□□□□□□□□□□□□□□□

·□□□□□□□□12 + 1□□□□□□□□□□□□

·□□“□□□□□□”

·□□“□□□□□□□□□□□□□□□□”□□□□□□



