

USB 1D

OCBS -C005

Product Description

Features

- Barcode
-
-

Specifications

- 300
- 3 mil
-
-
-
-
-
-
- USB-HID / USB / UART / KB / HID-POS
- 16
- IP45 / 5m
-
-

Dimensions

Overall Length		632mm
Sensor Type		CCD
Resolution		2500
Line Width		$\geq 3\text{mil}$
Line Spacing		≥ 30
Supported Codes		UPC / EAN / JAN / UPC / EAN / UCC / EAN 128 / Code 39 / MSI / Code 11 / Code 39 / TriOptic / Code 128 / Code 128 Full ASCII / EAN-13 / EAN-8 / UPC-A / UPC-E / ISBN / Code 93 / GS1 Databar / Codabar / Code 93 / Discrete 2 of 5 / IATA / RSS variants / Codabar / Chinese 2 of 5 / Interleaved 2 of 5 / pos
Scanning Rate		300
Scanning Angle	Top / Bottom	$\pm 55^\circ$
	Left	$\pm 25^\circ$
	Right	$\pm 75^\circ$
Dimensions (L x W x H)		165 x 65 x 97
Weight		190g
Light Source		LED
Power Consumption		650mW
Voltage		DC5V
Current	Normal	130mA
	High	86mA
	Low	42mA
Accessories		
Interface	RS232 / USB / 1.8	
Quantity	1	
Operating Temperature		-40°C ~ 60°C
Storage Temperature		0°C ~ 50°C
Humidity		0 ~ 95%
Warranty		5

▶ Picture Show



OCBS-C005



▶ Application scenario

Logistics



Warehouse management



Supermarket



Clothing label



Jewelry label



Restaurant



▶ Company



▶ Certificates



▶ Payment



▶ Contact us

Bleue Pos tePay CartaSi 4B Euro6000

5.

.....

6.

.....Eruopean.....

.....159.....2200.....O2.....500.....50.....

OCOM

-500.....POS Auto-ID.....
-O2 Star
- 2300.....159.....;
- 11 OEM / ODM.....
- POS.....1.....
-
- ISO FCC CE Soncap POA BIS.....
- 12 + 1.....
- “.....”
-

.....

OCOM Technologies Ltd. TUV POS Auto-ID.....

OCOM.....POS.....POS.....POS.....POS.....CE FCC.....

OCOM.....“.....”.....OEM / ODM.....

.....

OCOM

-104518054;
- www ocom inc.com www pos solution.com.cn;
- richard@ocominc.com richard@ocomtech.com .cn;
- sz ocom inc;
- Skype ocom inc2000;
- MSN ocomtech@hotmail.com;
- QQ 2485890637;
- hj34924238;
- Whatsapp 0086.133.52932860;
- 0086.133.52932860;
- 0086.755.86053207808;
- 0086.755.86053207868;

.....500.....POS.....