



ñ □□□□□□;

ñ 900□/□□ □□□□□;



Function	
Automatic start/stop	Yes
Batch counting (Preset No. of bills)	Yes
Add up each counting numbers	Yes
UV detection	Yes
Performance Characteristics	
Counting speed:	900 ps/min
Feeding capacity:	>200pcs
Receiving capacity:	>300 pcs
Size of countable notes:	50mm×110mm~90mm×175mm
Thickness of countable notes:	0.075-0.15mm
Counting Range	1-9999 pcs
Batch Range	1-9999 pcs
Counting display:	Three digits LED
Batch display:	Four digits LED
Physical Characteristics	
Power source:	AC220V±10% 50Hz AC110V±10% 60Hz
Power consumption:	≤80W
Dimensions:	300mm×238×163mm
Weight	GW. 5.5KGS
Packing	2 pcs per Carton: 350mm×300mm×435mm 13.5kgs



Bill Counter OCBC-2108



Product Picture



Features:

Reliable with good price

Automatic detecting with UV (ultraviolet) and MG (magnetic) while counting;



Automatic start and stop;

900pcs/min High counting speed;



Ultra wide adjustable currency entrance, adapt to currency from most countries;

Automatic half-note detection



All-round show



Figure 1



Figure 2



Figure 3

Parameter

Function	
Automatic start/stop	Yes
Batch counting (Preset No. of bills)	Yes
Add up each counting numbers	Yes
UV detection	Yes
Performance Characteristics	
Counting speed:	900 ps/min
Feeding capacity:	>200pcs
Receiving capacity:	>300 pcs
Size of countable notes:	50mm * 110 mm~90mm * 175 mm
Thickness of countable notes:	0.075-0.15mm
Counting Range	1-9999 pcs
Batch Range	1-9999 pcs
Counting display:	Three digits LED
Batch display:	Four digits LED
Physical Characteristics	
Power source:	AC220V $\pm$ 1 0% 50Hz AC110V $\pm$ 1 0% 60Hz
Power consumption:	$\leq$ 80W
Dimensions:	300mm*238*163 mm
Weight	GW. 5.5KGS
Packing	2 pcs per Carton: 350mm * 300 mm * 435 mm 13.5kgs

Power plug for option



Quality Assurance:



OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHs and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

Test Equipments:

✓ Indicates information has been verified onsite by a certification specialist

Test Equipment and Facilities

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No Information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

Verified by TUV on 2013.7.15

Certification:



Warranty and After Sales:



OCOM 台灣製造 台灣製造 台灣製造 台灣 POS 台灣製造 台灣製造 POS 台灣製造台灣製造台灣製造 POS 台灣製造 POS 台灣製造台灣製造 台灣製造
台灣製造台灣製造台灣製造台灣製造台灣製造台灣製造台灣製造 CE FCC 台灣製造

A group of students and a teacher are gathered around a long table in a classroom or meeting room. A teacher is standing at the front, presenting to a screen that displays a slide about 'Mobile Learning'. The students are seated around the table, some taking notes. The room is decorated with colorful triangular flags hanging from the ceiling. The screen shows a presentation slide with the title 'Mobile Learning' and images of mobile devices and people using them. The teacher is a man in a white shirt, and the students are a mix of young men and women. The room has a modern feel with a large table and a screen at the front. The flags on the wall add a festive touch to the environment. The students appear to be engaged in the presentation, with some looking at the screen and others taking notes. The teacher is actively presenting, gesturing towards the screen. The overall atmosphere is one of a collaborative learning environment.



T / T
Alipay.com
Moneybookers
Visa
Bleue
PostePay
CartaSì
4B
Euro6000

[illegible]

shippmentsT /
TionPayPalhttp://www.aliexpress.com/store/403448?tracelog=minisite_CI
factorie

01 02 03 04 CRM 05 06 7 * 24 12

□□□□<http://www.possolution.com.cn/cn/download.html>□□□□□□□□□□SDK□□□□□□□□□□

<http://www.possolution.com.cn/video.html>

[illegible]