

# OCBP -005 3 Android SDK

OCBP -005



OCBP

position;

;

;

;

BMP PCX BAC;

USB LAN;

PDF417 QR DOTMATRIX;

OCBP

OCBP	OCBP -005
Resolution	203 DPI/8/ mm
Print Speed	
Print Width	
position	
Print Length	
Print Height	127mm/; 50.8mm/
Print Width	16~76mm
Print Length	mm/25mm; mm80mm
Print Height	mm0mm8; mm/
Print Width	mmmm1mm10; 0mm90mm180mm270mm360mm
Print Length	mm&mm
Print Height	2MBmm2MB DRAM

□□	□□PCX□BMP□□□□□□□□FLASH□DRAM
□□	CODE128□EAN128□ITF□Code39□Code93□EAN13□EAN13 + 2□EAN13 + 5□EAN8□EAN8 + 2□EAN8 + 5□CODABAR□POS TNET□UPC-A□UPCA + 2□UPCA + 5□UPC-E □UPCE + 2□UPCE + 5□C POS T□MSI□MSIC□PLESSEY□ITF14□EAN14□PDF417□QR □□DATMATRIX
□□	USB + RS232 + LAN□USB
□□	□□□24VDC□2.5A
□□	□□□□5°C□45°C □□□□-40°C□55°C □□□□20□~80□□□□□□□□□□ □□□□≤ 93□□40°C□□□□□□□□□□
□□	□□□D220mm * H148mm * W150mm

□□□□□



□□□□□





OCBP-005







OCBP-005





**特性介绍**

- 内置打印字库打印清晰
- 打印速度超快速
- 打印精美超清晰效果
- 支持多种标签打印应用
- 支持 PCL、PCLX 国际通用字库
- 支持 A、B、C、D、E、F、G、H、I、J、K、L、M、N、O、P、Q、R、S、T、U、V、W、X、Y、Z、数字、符号、图形、汉字

支持 2M SRAM, 2M FLASH 存储器  
5 INCHS HIGH SPEED PRINTING



□□ □□ □□ □□□



□□□



