

2. 2D Barcode Printer

[M / N] OCBP -006



1. Features

1. Compact size / lightweight
2. High resolution
3. High speed
4. Quiet operation
5. Versatile barcode support

2. Specifications


Resolution	203DPI
Label Size	20-60mm
Print Speed	MAX 127mm/s; MIN 50.8mm/s
Memory	DRAM 4M FLASH 4M
Barcode	1D
Barcode	2D
Interface	USB
Barcode	1D
Barcode	CODE128, EAN128, ITF, CODE39, CODE93, EAN13, EAN13 + 2, EAN13 + 5, EAN8, EAN8 + 2, EAN8 + 5, CODABAR, POS TNET, UPC-A, UPCA + 2, UPCA + 5, UPC-E, UPCE + 2, UPC-E + 5, C POS T, MSI, MSIC, PLESSEY, ITF14, EAN14, Qrcode, DM, PDF417
Label Width	0-8mm
Label Length	0°-90°-270°-360° (10mm); 0°-90°-270°-360°
Label Type	PCX, BMP, FLASH, DRAM
Label Type	
Label Size	20x60mm
Label Size	80mm

□□□	□□25□□
□□□□	□□
□□□□	DC12V□3A
□□	1.04KG
□□□□	190□D□×135□W□×137□H□mm
□□□□	5~45°C□□□□□20-80□□□□□□
□□	-40□55°C□≤93□RH□40°C□
□□	









Union Escrow Paypal Escrow Alipay.com Moneybookers Visa MasterCard
Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro6000

5.

- 500 POS Auto-ID
- O2 Star
- 2300+ 159
- 11 OEM / ODM
- POS 1
-
- ISO CE FCC Soncap POA BIS
- 12 + 1
- “”
-

Una Wang

+86 18948799080

104

518054

ocom inc.com www pos solution.com.cn

+86.755.86053207800;

+86.755.86053207868