

OCBP -007 4 WIFI 203DPI

M / N OCBP -007



Features

32-bit RISC CPU

8MB SDRAM 4MB

203 dpi

102mm 4" / s

108mm 4.25"

2286 90

0.06 0.16 2.36 6.3mil

10 2286 0.4 " " 90 " "

Specifications

| | |
|-----------------|------------------------|
| Resolution | 8 / mm 203DPI |
| Print Speed | 102 4" / S. |
| Print Width | 108 4.25" |
| Print Length | 2286 90 |
| Print Thickness | 0.06 0.16 2.36 6.3mil |
| Print Volume | 10 2286 0.4 " " 90 " " |

| | |
|----------|--|
| □□□□□ | □□127□□□5□□□□□□□□ |
| □□ | □□□□ |
| □□□□ | 240□□□□□×211□□□□□×166□□□□□ |
| □□ | 2.15□□ |
| □□□ | 32□RISC CPU |
| □□ | 4MB□□□8MB SDRAM□□□□□□□□SD□□□□□□4 GB |
| □□ | USB 2.0 |
| □□□□ | 8□□□□□□□□□□Windows□□□□□□□□□□ |
| □□ | 1D□□□□Code 39□Code 93□Code 128UCC□Code 128□ □A□B□C□Codabar□Interleaved 2 of 5□EAN-8□EAN-13□EAN-128□UPC-A□UPC-E□EAN□UPC 2□5□□□ □□MSI□PLESSEY□POS TNET□□□POS T. □□□□□PDF-417□Maxicode□DataMatrix□□□□ |
| □□□□□□□□ | 0°□90°□180°□270° |
| □□□□ | □□□5~40°C□25~85□□□□□□□□□□-40~60°C□10~90□□□□ |





OCBP-007





OCBP-007





OCBP-007





OCBP-007





OCBP-007





3. 3. 3.

OCOM

500 100

12 + 1 24

30 DOA DOA

4. 4. 4.

T / T LC Western Union Escrow T / T Western Union Escrow Paypal Escrow Alipay.com Moneybookers Visa MasterCard Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro 6000

5. 5. 5.

6. 6. 6.

Eruoepan

133 1300 02 500 50

OCOM

500 POS Auto-ID

O2 Star

1500 133

9 OEM / ODM

POS 1

FCC CE Soncap POA BIS

12 + 1

"