



M / N OCBP-007

1. Features

- 32-bit RISC CPU
- 8MB SDRAM 4MB Flash
- 203 dpi
- 102mm/4mm/s
- 108mm
- 20-112mm 0.78"-4.4"

2. Parameters

|            |  |
|------------|--|
|            |  |
| Resolution | 8 / mm 203DPI  |
| Resolution |  |
| Resolution | 102mm/4mm/ S   |
| Resolution | 108mm/4.25mm   |
| Resolution | 2286mm/90"   |
| Resolution |  |
| Resolution | 20-112mm 0.78"-4.4"  |
| Resolution | 0.06mm 0.16mm 2.36mm 6.3mil  |
| Resolution | 10mm 2286mm 0.4 " " 90 " "   |
| Resolution | 127mm 5mm  |
| Resolution |  |
| Resolution | 240mm w ^ x 211mm H x 166mm d  |
| Resolution | 2.15mm   |
| Resolution | 32-bit RISC CPU  |
| Resolution | 4MB 8MB SDRAM Flash SD 4GB   |
| Resolution | USB 2.0  |
| Resolution | 8 Windows  |
| Resolution | EAN-8 EAN-13 EAN-128 UPC-A UPC-E EAN UPC 2 39 93<br>128UCC 128 A B C Codabar 2 5 MSI PLESSEY POSTNET<br>PDF-417 Maxicode DataMatrix QR |
| Resolution | 0° 90° 180° 270°   |
| Resolution | 5 40°C 25 85 -40 60°C 10 90  |

3. Features



### Features



### All-round show



### Application Area



### Parameter

|                           |  |
|---------------------------|--|
| Resolution                | 8 dots/mm(203DPI)  |
| Printing method           | Direct Thermal   |
| Max print speed           | 100 mm/47.24"  |
| Max print width           | 108 mm (4.25")   |
| Max print length          | 2286 mm (90")  |
| Media type                | Continuous, gap, notch mark, non-feed and punched hole   |
| Media width               | 20-108mm (0.79"-4.25")   |
| Media thickness           | 0.08-0.16mm (3.28"-6.3mil)   |
| Label length              | 10-2.286mm (4"-90")  |
| Label roll capacity       | 127 mm (5") OD (includes unwind)   |
| Structure                 | Single or dual platen  |
| Physical dimension        | 240 mm (L) x 211 mm (W) x 166 mm (D)   |
| Weight                    | 2.1kg  |
| Processor                 | 32-bit RISC CPU  |
| Memory                    | 4MB Flash Memory, 8MB SDRAM, SD card reader for Flash memory expansion, 32K x 4 GB   |
| Interface                 | USB 2.0  |
| Internal ports            | 9-pin serial, 25pin Paralle, Windows ports are slow readable from 4.0Kbps etc.   |
| Barcode                   | 1D bar code Code 39, Code 93, Code 128, UCC, Code 128 subsets A, B, C, Code 49, Interleaved 2 of 5, GS1 & GS1-12, GS1-13, UPCA, UPEC, EAN-8 and UPCA-20), 2D bar code, QR, PDF417, POSTNET, China POST |
| Font and barcode rotation | 2D bar code PDF417, Microcode, DataMatrix, QR code   |
| Environment condition     | Operation: 5 ~ 40°C, 25 ~ 85% non-condensing, Storage: -40 ~ 60°C, 10 ~ 90% non-condensing   |

### Production Line





### Capacity

| Verified | Product Name                    | Production Line Capacity | Actual Units Produced(Previous Year) |
|----------|---------------------------------|--------------------------|--------------------------------------|
| ✓        | Thermal Printer                 | 40,000 Sets / Month      | 250,000 Sets                         |
| ✓        | Desktop Printer                 | 10,000 Sets / Month      | 10,000 Sets                          |
| ✓        | Bluetooth Printer               | 30,000 Sets / Month      | 20,000 Sets                          |
| ✓        | Barcode Scanner                 | 40,000 Sets / Month      | 20,000 Sets                          |
| ✓        | POS Terminal                    | 6,000 Sets / Month       | 10,000 Sets                          |
| ✓        | Magnetic Card Reader and Writer | 45,000 Sets / Month      | 50,000 Sets                          |

*All business information has been verified strictly by FIC in 2012.12.12*

### Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001:2008 in the process of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

### Test Equipments

| Verified | Product Name           | Brand & Model No. | Quantity |
|----------|------------------------|-------------------|----------|
| ✓        | Aging Tester           | Inte Instrument   | 6        |
| ✓        | Infrared Indigo Tester | CC373A            | 1        |
| ✓        | Dimension              | TES102            | 1        |
| ✓        | DC Power Supply        | PS-3000A          | 4        |
| ✓        | Digital Testset Meter  | MF40              | 1        |
| ✓        | Caliper                | QD1000C1          | 2        |
| ✓        | Multi-meter            | VCM80             | 7        |
| ✓        | Test Computer          | No information    | 13       |

*All business information has been verified strictly by FIC in 2012.12.12*

### Certifications



### Packing and Shipment



### Payment



### Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



### Why you choose us?



### Company Profile

**This Assessed Supplier Has Been Independently Verified**

Build Your Growth On Trust

OCOM Technology Limited founded in 2007, is a client leading supplier of PC and POS related products from China.

OCOM products portfolio covers Thermal Printer, QR Code Printer, Barcode Printer, Receipt Scanner, Receipt/QR reader, POS Terminal, POS peripheral. Our products have passed CE, FCC, TSPS and other certifications, and have been awarded European Quality Award.

OCOM has a professional team including marketing, R&D, quality control, production and sales service. The management team have worked in the FORTUNE 500 companies as sector managers for many years. All of the sales have more than 5 years' experience, which help us to meet and exceed the customer's satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the most professional capabilities from production, assembly and packaging, which ensure us our strong capacity. The normal test time for main products is about 1 to 7 days even for bulk order.

"Honesty based, open for resources, win-win cooperation" are our basic operation mode and reliable partnership with customers all over the world. OCOM is welcome.



### Contact us

Any queries, please contact us immediately, big surprise is waiting for you.

Address: 4/F, Block 10, Zhongxing Industrial Park, Changyue Road, Nanxun District, Shaoxing 315004, China  
 Websites: <http://www.prosolution.com.cn>; <http://www.ocominc.com>  
 E-mail: [ocom@ocominc.com](mailto:ocom@ocominc.com); [ocomtech@gmail.com](mailto:ocomtech@gmail.com);  
 Skype: ocominc2008, ocominc  
 MSN: ocomtech@hotmail.com, ocominc@hotmail.com;  
 TradeManager: ocominc, cn100430966.  
 QQ: 245860637, 150882203.  
 Tel/Fax: +86 755 8605 5207.



**4.FAQ**

**1**

OCOM Technologies Ltd. TUV POS Auto-ID

**2**

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

**3**

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

**4**

OCOM Technologies Ltd. TUV POS Auto-ID

**5.**

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

**6.**

**Harold Hu**

OCOM Technologies Ltd.

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM Technologies Ltd. TUV POS Auto-ID

