|--|

□M / N□OCBP-007□

1.

□□□□□□□□□□
32□RISC CPU
8MB SDRAM□4MB Flash
□□□□□
203 dpi□□□

___102___4___/ s_____

||||||108mm

 $20\text{-}112mm \verb||| 0.78"\text{-}4.4" \verb|||| \verb|||||$

$\mathbf{2.Parameters} \square$

8[]/ mm[]203DPI[]
102□□□4"□/ S
1080004.25000
228690"_
20-112mm[]0.78"-4.4"[]
0.06\ 0.16\ \ \ \ 2.36\ 6.3mil\
10 2286 0 0.4 " " 090 " "
240\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
2.15
32∏RISC CPU
4MBDD8MB SDRAMDDFlashDDDDDDDDDDDDDD4GB
USB 2.0
8Windows
128UCC 128 A B C Codabar 2 5 MSI PLESSEY POSTNET
PDF-417 Maxicode DataMatrix QR
0°[]90°[]180°[]270°



Product Pictur



Feature







All-round show



Application Are



Paramete

Parameter				
Resolution	8 dots/mm(203DPI)			
Printing method	Direct Thermal			
Max print speed	102 mm (4")/S			
Max print width	108 mm (4.25°)			
Max print length	2286 mm (90°)			
Media type	Continuous, gap, black mark, fan-fold and punched hole			
Media width	20-112mm (0.76'-4.4')			
Media thickness	0.06-0.16mm((2.36-6.3ml)			
Labellength	10~2,286mm(0.4**~90**)			
Labelrol capacity	127 mm (6") OD (outside w ound)			
Enclosure	Double w alled plastic			
Physical dimension	240 mm (W) × 211 mm (H) × 166 mm (D)			
Weight	2.16kg			
Processor	52-bit RISC CPU			
Memory	4MB Flash Memory, 8MB SDRAM, SD card reader for Flash memory expansion up to 4 GB			
Interface	USB 2.0			
internal fonts	8 alpha-rumeric bitmap fonts, Window's fonts are downloadable from software.			
Barcode	ID bar code : Code 39, Code 93, Code 128UCC, Code 128 sx8s ets A, B, C, Codstar, interieured 2 of 5, ENNA, EAN-13, EAN-128, UPC-A, UPC-E, EAN and UPC 2(5) digits add-on, MSL PLESSEY, POSTNET, China POST			
	2D bar code : PDF-417, Maxicode, DataMatrix, GR code			
Fort and barcode rotation	01, 901, 1801, 2701			
Environment condition	Operation: 5 ~ 40°C, 25 ~ 85% non-condensing, Storage: -40 ~ 60°C, 10 ~ 90 non-condensing			

Production L





erified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)	
	Thermal Printer	40,000 Sets / Month	250,000 Sets	
100	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets	
-	Studooth Printer	30,000 Sets / Month	20,000 Sets	
	Barcode Scanner	40,000 Sets / Month	20,000 Sets	
1	POS Machine	5,000 Sets / Month	19,000 Sets	

Qualit



Test Equ

letified	Machine Name	Brand & Model No.	Quantity
/	Ageing Tester	No information	6
1	Withstand Voltage Taster	CC2678A	1 ACTION
1	Osciloscope	T651132	- 1
1	DC Power Supply	PS-3050M	6
1	Digital Torque Meter	HP100	1
1	Caliper	CUANGLU	2
/	Multi-meter	VC8900	7
1	Test Computer	No information	13





Payment





Why you



Com











4.FAQ[1
2000000&00 0000000000000000000000000000
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
3000 OCOM00000000000000000000000000000000
4\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
5 OCOM Technologies LtdTUVPOS_Auto-IDOCOM500500
OCOMOCOMPOSPOSPOSPOSPOSPOSPOS
6.