



M / N OCBP-007B

1. 仕様

- 32 RISC CPU
- 8 MB SDRAM 4 MB
- 203 dpi
- 102 / 4 / s
- 108
- 20-112 0.78"-4.4" media

2. 仕様

	8 / mm 203DPI
	102 / 4 / S
	108 4.25
	2286 90
	20-112 0.78"-4.4"
	0.06 0.16mm 2.36 6.3mil
	10 2.286mm 0.4"-90"
	127 5
	240 w ^ x 211 h ^ x 166 d
	2.15
	32 RISC CPU
	4 MB 8 MB SDRAM SD 4 GB
	USB 2.0
	8 Windows
	39 93 128 UCC 128 A B C 5 2 EAN-8 EAN-13 EAN 128 UPC-A UPC-E EAN UPC 2 5 MSI PLESSEY POSTNET PDF-417 Maxicode DataMatrix QR
	0° 90° 180° 270°
	5 40°C 25 85 -40 60°C 10 90

3. 仕様



OCBP-007B



www.ocominc.com





OCBP-007B



www.ocominc.com

CE FC






OCBP-007B



www.ocominc.com







OCBP-007B



www.ocominc.com





4.FAQ

1

2

Tracelog = minisite_CI

3

OCOM

500 100

12 + 1 24

30 DOA DOA

4

T / T LC T / T Alipay.com Moneybookers Visa MasterCard Maestro Solo Carte Bleue PostePay CartaSi 4B Euro6000

5.

OCOM TUV POS Auto-ID OCOM "500 1

OCOM POS POS POS POS CE FCC certificeringen.De OCOM OEM / ODM

6.

Harold Hu

OCOM

10 4 518054 www.ocominc.com www.possolution.com.cn sales14@ocominc.com Skype sales14@ocominc.com MSN ocomsales14@hotmail.com Whatsapp 0086.18948789890; 0086.18948789890; 0086.18948789890; QQ 1467261417; 0086.755.86053207-814; 0086.755.86053207-868;