

4. 仕様/オプション

M / N OCBP -008

OCBP -008は、OCOMの標準的なIDカードを印刷するための専用装置です。

仕様

- 印刷速度: 200mm / s (8"/s)
- 印刷幅: 300mm (214mm) × 8.4" (OD)
- メモリ: 8MB ROM, 8MB SRAM
- 印刷方式: TSPL / EPL / ZPL / DPL
- 接続: USB 2.0
- 動作環境: Bartender & Windows

仕様表

解像度	8 / mm (203dpi)
印刷速度	200mm/s (8"/s)
印刷幅	300mm (214mm) × 8.4" (OD)
印刷高さ	1778mm (70")
印刷厚さ	0.06~0.25mm
印刷長さ	10~1778mm
印刷幅	127mm (5")
材質	ABS
印刷サイズ	246mm × 223mm (w × h)
印刷厚さ	2.47mm
CPU	32-bit RISC CPU
メモリ	8MB ROM, 8MB SDRAM, Mro SD 4GB
接続	USB 2.0 / TF;
	RS-232 / WIFI /


□□	1D□□□Code 39□Code 93□Code 128UCC□Code 128□A□B□C□ Codabar□Interleaved 2 of 5□EAN-8□EAN-13□EAN-128□UPC-A□UPC-E□EAN□ UPC 2□5□□□□MSI□PLESSEY□POS TNET□□□POS T□GS1 DataBar□Code 11 2D□□□PDF-417□Maxicode□DataMatrix□QR□□Aztec
□□□□	①RS-232□2400-115200 bps□②□□③WiFi④□□□□ ⑤□□□⑥LCD/ LED□□□□□□□□
□□□□	FCC□CE□CB□CCC
□□□□	□□□□-10~50°C□14~122°C□°F□□10~90□□□□ □□□□-40~60°C□-40~140°C□°F□□10□~90□□□□





OCBP-008







OCBP-008





OCBP-008





OCBP-008

