

□□□□□□□4□□□□□□□□□□□□□□□□

(M/N:OCBP-018)

□□□



□□□□□□□□

□□□□□□□□

152 □□□6 □□□/□□□□□□□□□□□□□□□□

□□□□□□□□

□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□

□□

□□	
□□	OCBP-018
□□	□□□□□□
□□	USB
□□□	32 □ CPU
□□	8MB □□8MB SDRAM
□□□□□	30□□
□□	□□□AC 100V-240V□50-60Hz□□□□DC 24V/2.5A
□□□	□□□□□□□□□□□□□□□□
□□□□	□□ 2 □□
□□□□	□□ 2 □□
□□□□□□□□	0°,90°,180°,270°
□□□□	TSPL EPL ZPL DPL
□□□□	
□□□□	□□□
□□□	203 DPI
□□□□	152□□□□
□□□□	□□ 108 □□
□□□□	□□ 1778 □□
□□□□□	
□□	□□□□□ Code 39, Code 93, Code 128UCC, Code 128 subsets A, B, C, Codabar, Interleaved 2 of 5, EAN-8,EAN-13,EAN-128, UPC-A, UPC-E, EAN and UPC 2(5) digits add-on, MSI, PLESSEY, POSTNET, China POST □□□□□PDF-417□□Maxicode□□DataMatrix□□□□□
□□	
□□□□	□□□□□□□□□□□□□□□□
□□□□	26-116mm
□□□□	0.06-0.20mm
□□□□□	□□□□□
□□□□	10-1778mm
□□□□	
□□	185mm(W)×85mm(H)×85mm(D)
□□	□□□1.14kg □□□1.3kg
□□□	220*180*130mm
12 □ 1 □	560*460*285mm/17.1kg
□□	
□□□□□□□□	0□45□□□□10%~80%□□□
□□□□□□□□	-20 □ 60 □□□□10%~90% □□□































□□□□

[OCBP-018 □□□□](#)

[OCBP-018 □□□□□□](#)

[OCBP-018 Windows □□□□](#)

