

OCBP-018 □□□□□□□□□□□□□□□□**4**□□□□□□□□□□□□□□□□**4x6**

(M/N:OCBP-018)

□□□



□□□□□□□□

□□□□□□□□

152 □□□6 □□□/□□□□□□□□□□□□□□□□

□□□□□□□□□□

□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□



OCBP-018	
OCBP-018	
OCBP-018	OCBP-018
OCBP-018	USB
OCBP-018	32 CPU
OCBP-018	8MB 8MB SDRAM
OCBP-018	30
OCBP-018	AC 100V-240V,50-60Hz,DC 24V/2.5A
OCBP-018	
OCBP-018	2
OCBP-018	2
OCBP-018	0°,90°,180°,270°
OCBP-018	SPL EPL ZPL DPL
OCBP-018	
OCBP-018	
OCBP-018	203 DPI
OCBP-018	152
OCBP-018	108
OCBP-018	1778
OCBP-018	
OCBP-018	T PDF-417MaxicodeDataMatrix
OCBP-018	
OCBP-018	
OCBP-018	26-116mm
OCBP-018	0.06-0.20mm
OCBP-018	
OCBP-018	10-1778mm
OCBP-018	
OCBP-018	185mm(W)×85mm(H)×85mm(D)
OCBP-018	1.14kg 1.3kg
OCBP-018	220*180*130mm
12 1	560*460*285mm/17.1kg
OCBP-018	
OCBP-018	4510%~80%
OCBP-018	-20 60 10%~90%































□□□□

[OCBP-018 □□□□](#)

[OCBP-018 □□□□□□](#)

[OCBP-018 Windows □□□□](#)

