

OCBP-018 □□□□□□□□□□□□□□□□**4x6** □□□□□□□□□□

(M/N:OCBP-018)

□□□



□□□□□□□□

□□□□□□□□

152 □□□6 □□□/□□□□□□□□□□□□□□□□

□□□□□□□□□□

□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□



□□□□	
□□	OCBP-018
□□	□□□□□□
□□	USB
□□□	32 □ CPU
□□	8MB □□□8MB SDRAM
□□□□□	30□□
□□	□□AC 100V-240V,50-60Hz,□□□DC 24V/2.5A
□□□	□□□□□□□□□□□□□□□□
□□□□	□□ 2 □□
□□□□	□□ 2 □□
□□□□□□□□	0°,90°,180°,270°
□□□□	□SPL EPL ZPL DPL
□□□□	
□□□□	□□
□□□	203 DPI
□□□□	152□□□□
□□□□	□□ 108 □□
□□□□	□□ 1778 □□
□□□□□□	
□□	□□□□□
	T
	□□□□□PDF-417□Maxicode□DataMatrix□□□□
□□	
□□□□	□□□□□□□□□□□□□□
□□□□	26-116mm
□□□□	0.06-0.20mm
□□□□□	□□□□
□□□□	10-1778mm
□□	
□□	185mm(W)×85mm(H)×85mm(D)
□□	□□□1.14kg □□□1.3kg
□□□	220*180*130mm
12 □ 1 □	560*460*285mm/17.1kg
□□	
□□□□□□□□	0□45□□□□10%~80%□□□
□□□□□□□□	-20 □ 60 □□□□10%~90% □□□































□□□□

[OCBP-018 □□□□](#)

[OCBP-018 □□□□□□](#)

[OCBP-018 Windows □□□□](#)