

3 条形码打印机
OCBP-304DT

□□□



□□□□□□□

□□□□□□□IOS

□□□□□

□□□□□□

□□

□□	
□□	OCBP-304DT
□□	□□□□
□□□□	USB / USB+□□
□□□□□□	50□□
□□	□□□AC 100V-240V, 50-60Hz, □□□DC 24V/2.5A
□□	□□□□□□C□□□□□□□□□□
□□□	□□□□□□□□□□
□□□□	□□2□□
□□□□	□□2□□
□□□□□□□□□□	0°□90°□180°□270°
□□□□	TSPL
□□□□	
□□□□	□□□
□□□	203 □□□
□□□□	□□ 150 □□/□
□□□□	72□□
□□□□□□□□	
□□□□□□□□	□□ 39□EAN13□EAN8□CODABAR□□□□ 128□□□ 93□ITF □□□□□□□□□□□□□□□□□□□□□□
□□	
□□□□	□□□□□□□□□□□□□□□□
□□□□	80□□
□□□□	0.06-0.22□□
□□□□□□	□□□□□□
□□	
□□	149□□*79□□*70□□
□□	□□□630□
□□□	175*135*85□□/0.76□□
12□1□	380*285*280□□/9.7□□
□□	
□□□□&□□	0□45°C□10%□80% □□□

□□□□□□

-20□50□□□□10%~90%□□□

