

# OCBP -M83

OCBP-M83



□□□

n□□□□□□□□□□□□□□

n□□□□□□□□□□Android□□□

n□□bartender□□

n□□□□□□□□

n□□□□□□□□□□□□□□□□

n 50mm□□□□□□

n□□□□□□□□

n□□□□□□/□□□□□/□□□□□□□

n□Android□IOS□□

n 2600mAh□7.4V 14.8Wh□□□□□□

n□□□□□□5□□□□□□□□□□7□

n 90mm / sec□□□□□□□

n□□ESC / POS□JPL□TSPL□CPCL□4□□□□□

n 360□□□□□□□□□□

n IP54□□□□□□□□□□□□□□

□□□

□□□□	□□□□
□□□□	□□ESC / POS□TSPL□JPL□□
□□□□□□	□□ 72mm□576□
□□□□	□□90mm / sec
□□□	8□/□□□203dpi□
□□□□	79.5□±0.5mm x□□50.0mm
□□□□	0.06□0.12mm
□□□	□□□□/□□
□□	USB□□□□
FLASH	256KB
□□□□□□	9V DC / 1A
□□□□	4-5□□
□□□□	2600mAh□7.4V 14.8□□
□□□□	□□5□□□□□□□7□
□□□□□□	50□□
□□□□	□□□□□□□□□□
□□□□	□□□-10□50°C□□□□□10□□90□
□□□□	□□□-20□70□□□□□□□□5□□95□
□□□□	□□□□□□□□□□□□□□30□ASCII□□□□
□□	□□□□□□□□□□“ 1234”□□□□□□□□□□□□□□6□□□□□
□□	□□□□0.56kg /□□□□□□0.7kg /□
□□□□	13.5 * 13.5 * 11□□



OCBP-M83





OCBP-M83





OCBP-M83





OCBP-M83





OCBP-M83







OCOM " " OEM / ODM

## ▶ Company



## ▶ Certificates



## ▶ Payment



□□□□□□□□

·POS□□□□□□□□□□□□□□□□□□

·□□□□□□500□□□□□□□□

·1□□□□□□□□□□□□O2□Star ...

·□□163□□□□/□□□2600□□□□□□

·□□□□□□□□□□24□□□□□□□□

·□□12□OEM / ODM□□□□□□□□□□

·□□□□□□□□□□□□□□□□

·□□ISO 9001□FCC□CE□Rohs□Soncap□SASO□POA□BIS□□□□□□□□□□

·□□□□□□□□□□□□□□□□□□□□

·□□□□□□□□12 + 1□□□□□□□□□□□□

·□□“□□□□□□”

·□□“□□□□□□□□□□□□□□□□”□□□□□□



