

智慧零售/智慧餐館/智慧超市

智慧零售 OCBP-T4201/T4301

特點



智慧零售/智慧餐館

200 MHz 32 位 RISC 處理器

8MB SDRAM 8MB 快閃記憶體

智慧零售/智慧餐館

152 毫米 6 英寸 智慧零售/智慧餐館

25.4 毫米 (1 英寸) 點距 300 點 (984) 點距

203dpi/300dpi 點距

智慧零售/智慧餐館 ROHM 智慧零售/智慧餐館 100 點距

智慧零售/智慧餐館 智慧零售/智慧餐館 智慧零售/智慧餐館

智慧零售/智慧餐館 bartender 智慧零售/智慧餐館

智慧零售/智慧餐館 IOS/Android/Harmony OS/Windows/MAC 智慧零售/智慧餐館

智慧零售



OCBP-T4201	OCBP-T4301
32 CPU	
USB2.0 / USB+BT / USB+BT+WIFI / USB+LAN	
TSPL	
100	
AC 100V-240V, 50-60Hz, DC 24V/2.5A	
8MB/8MB SDRAM/	
USB x 21.5" x 2" x 2"	
Windows/Mac SDK/Windows/Android/iOS	
8/(203 DPI)	12/(300 DPI)
152 6"/	127 5"/

104 4.09	104 4.09
1178 70	889 35
BIMAPBMPPCX256	
Code 39Code 93Code 128UCCCode 128 A B C CodabarInterleaved 2 of 5EAN-8EAN-13EAN-128UPC-AUPC-EEAN UPC 2 (5) POSTNET POSTGS1 11PDF-417MaxicodeDataMatrixQR Aztec	
8 Windows	
0°90°180°270°	
BIMAPBMPPCX256	
20-1120.78"-4.4"	

0.06 ~ 0.254 mm (2.36 ~ 10 mil)	
10 ~ 1178 mm (0.39" ~ 70")	10 ~ 889 mm (0.39" ~ 35")
127 mm (5") OD	
300m	
110mm	
25.4 mm 1 mm	
280mm*210mm*170mm	
2.25kg 3.25kg	
370*240*205mm	
4 500*390*430mm/14.5kg	
0~45°C 10%~80% RH	
-20~60°C 10%~90% RH	

Thermal Transfer Label Printer

Versatility Creates Efficiency

- Thermal Direct Labels
- Thermal Transfer Labels
- PET Silver Labels
- Garment Hang Tags
- Wash Care Labels



Dual Printing Mode

Direct Thermal Print / Thermal Transfer Print

Switch at Ease Between Both Modes

Direct Thermal Mode

MODE 1



Direct
Thermal
Labels

No TTR Ribbons Required

Thermal Transfer Mode

MODE 2



Thermal Transfer Labels

PET Silver Labels

Garment Hang Tags

Wash Care Labels

TTR Ribbons Required

Professional and Durable Print Head

High-resolution Printing at Lightning Speeds

203dpi Printing Speed

152^{Max.}mm/s



Ordinary Print Head

Durability

Professional Print Head

Durability

Versatile Sizes Compatible Adjustable Media Guide

Different Sizes Printed by Guide Width Adjusted Flexibly



118mm
Media Width Max.

130mm
Media O.D. Max.

110mm×300m
Ribbon Size Max.

Various Connectivity

Multiple OS Compatible

Running smoothly with
Windows XP, 7, 8, 10, 11 and Mac OS

USB Connectivity

- ✓ Windows PC
- ✓ Mac

Also compatible with Google Chrome OS after installing the plugin in the Google browser.

Bluetooth Connectivity

For Bluetooth Version Only

- ✓ Windows Laptop
- ✓ Android Phone
- ✓ iPhone
- ✗ Mac

WiFi Connectivity

For WiFi Version Only

- ✓ Windows PC
- ✓ Mac
- ✓ Android Phone
- ✓ iPhone

Ethernet Connectivity

For Ethernet Version Only

- ✓ Windows PC
- ✓ Mac

Widely Applicable Supporting Various Labels



Direct Thermal Labels



PET Silver Labels



Garment Hang Tags



Thermal Transfer Labels



Wash Care Labels



Price Tags



Different Resolution for Option

For Different Printing Needs



For Most Printing Needs




For Fine Text Printing Needs

Resolution	203dpi	300dpi
Label Material	Direct Thermal Labels, Thermal Transfer Labels, PET Silver Labels, Synthetic PP Labels, Garment Hang Tags, Wash Care Labels	
TTR Ribbons	Wax Ribbon, Wax-resin Ribbons, Resin Ribbons, Washable Resin Ribbons	
Available Version	USB / Bluetooth / WiFi / Ethernet	
Media Type	Continuous paper, gap paper, folded paper, black mark paper, hole-punched paper	
Printer Dimension	280×220×168mm(L×W×H)	
Print Width	15-104mm	15-108mm
Print Speed	152mm/s	127mm/s


Appearance Components

- ① LED Indicator Light + FEED Button
- ② Cover Open Switch
- ③ Viewing Window
- ④ Label Exit



Internal Components

- ① Ribbon Rewind Gear
- ② Print Head Open Switch
- ③ Print Head
- ④ Ribbon Supply Gear
- ⑤ Ribbon Baffle Plate
- ⑥ Media Guide
- ⑦ Rubber Platen Roller
- ⑧ Gap Sensor
- ⑨ Black Mark Sensor



Default Accessories List



1



2



3



4



5



6



7



8



9

- ① User Guide ② USB Cable ③ Power Adapter ④ Power Cord
- ⑤ Media Shaft & Baffle Plate x 2 ⑥ Ribbon Shaft x 2
- ⑦ Ribbon Rewind Paper Core ⑧ Ribbon Sample Roll
- ⑨ Label Sample Roll

Professional and Eye-catching Packing

Compact and Protective



Packing Specs

Unit box size (LWH)
370*240*205mm

Unit box N'W.
2.92kg

Unit box G'W.
3.47kg

4 Units Per Master Carton

Master carton size (LWH)
500*390*430mm

Master Carton N'W.
11.68kg

Master Carton G'W.
15kg











