

OCBP-T4201/T4301)

OCBP



200 MHz 32 RISC
8MB SDRAM 8MB
152 6
25.4 (1) 300 (984)
203dpi 300dpi
ROHM 100
bartender
IOS/Android/Harmony OS/Windows/MAC

OCBP



<p>152 英寸6"/英寸</p>	<p>127 英寸5"/英寸</p>
<p>104 英寸4.09 英寸</p>	<p>104 英寸4.09 英寸</p>
<p>1178 英寸70 英寸</p>	<p>889 英寸35 英寸</p>
<p>BMAP BMP PCX 256</p>	
<p>Code 39 Code 93 Code 128 UCC Code 128 A B C Codabar Interleaved 2 of 5 EAN-8 EAN-13 EAN-128 UPC-A UPC-E EAN UPC 2 (5) POS TNET POST GS1 11 PDF-417 Maxicode DataMatrix QR Aztec</p>	
<p>8 Windows</p>	
<p>0° 90° 180° 270°</p>	
<p>BMAP BMP PCX 256</p>	

□□□□□□□□□□□□□□□□□□	
20-112□□□0.78"-4.4"□	
0.06 ~ 0.254 □□ (2.36 ~ 10 □□)	
10 ~ 1178 □□ (0.39" ~ 70")	10 ~ 889 □□ (0.39" ~ 35")
127 □□ (5") OD□□□□	
□□300m	
110□□	
25.4 □□□1 □□□	
280□□*210□□*170□□	
□□2.25kg □□:3.25kg	
370*240*205□□	
4	500*390*430mm/14.5kg

<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0~45°C 10%~80% □□□
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	-20~60°C 10%~90% □□□











