

OCBS -2008 n410 USB 1D / 2D

OCBS -2008



Feautre

;

;

1D 2D;

;

;

;

	LED
	LED
	CMOS
	640 * 480,256

□□□□□	13mil UPC 40cm / s
□□□□	□□50□;□□20□
□□	≥5mil
□□□□	1D Code 128□UCC / EAN-128□AIM 128□EAN-8□EAN-13□ISSN□ISBN□UPC-E□UPC-A□Interleaved 2 of 5□ ITF-6□ITF-14□Matrix 2 of 5□ European Matrix 2 of 5□□Industrial 25□Standard 25□Code 39□Codabar□Code 93□Code 11□Plessey□MSI-Plessey□RSS-14□RSS-Limited□RSS-Expand
	2D PDF417□□□□□□QR□□QR
□□	EAN-13 40mm-355mm□13mil□ □□39 28mm-155mm□5mil□ PDF 417 28mm-95mm□6.67mil□ □□□□25mm-95mm□10mil□ QR 25mm-150mm□15mil□
□□□	□□±45°@ 0°Roll□0°Skew □□±30°@ 0°□□□0°□□ □□±45°@ 0°Roll□0°Skew
□□	
□□	USB□RS232
□□□□	3.3v~5v DC
□□□□	2.0w□400mA□
□□□□	2.5w□450mA□
□□□□□	□□5.5V 1A
LED CLASS	□□
EMC□□	FCC□15□□□IEC60825-1□EN55022 B□
□□□□	
□□□□	-20□□□□+ 60□□□□-4□□□□144□□□□
□□□□	-30□□□□+ 70□□□□-22□□□□158□□□□
□□	5□ - 95□□□□□□□
□□□	1.5□□5.0□□□□□□□□□□
IP□	IP54
□□□□	□□□□□□□□□□
□□	
□□□□	156 * 68 *83□□
□□	195□□□□□□□□
□□□□	48 * 36 * 47CM□20□□□□13.5KG□
	48 * 39 * 52CM□30□□□□15KG□



OCBS-2008





OCBS-2008



3. 3. 3.

OCOM 500 100

500 100

12 + 1 24

30 DOA DOA

4. 4. 4.

T / T LC Western Union Escrow T / T Western Union Escrow Paypal Escrow Alipay.com Moneybookers Visa MasterCard Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro 6000

5. 5. 5.

6. 6. 6.

Eruopean ...

133 1300 O2 500 50

OCOM

500 POS

O2 Star

1500 133

9 OEM / ODM

POS

FCC CE Soncap POA BIS

12 + 1

“ ”