

□□□□□□□□□□
□M / N□ OCBS -2012□

□□□

- ñ □□□□□□□□
- ñ □□□□□□□□□□
- ñ □□□□□□1D□2D□□□□□□□□□□
- ñ □□□□□□□□□□□□□□□□
- ñ 5mil□□□□□□□□□□□□□□□□ ;
- ñ □□□□□□□□□□
- ñ □□□□□□

□□□

| □□□□ | |
|------|---|
| □□□ | 640 * 480□256□□ |
| □□ | □□□□□□617 □□±10□□□ |
| □□ | 0□100,000 |
| □□□□ | 360°\ ±60°\□□ ±65□° |
| □□□□ | 300□□/□ |
| □□ | 2D DataMatrix□Matrix 2 of 5□MaxiCode□MicroPDF417□MSI Code□PDF417□QR code□Standard 2 of 5□Telepen□TLC 39□ |
| □□ | Australian Post, Aztec, BPO, Canada Post, Codabar, Codablock, Code 11, Code 39, Code 93, Code 128/EAN128, Dutch Post, EAN.UCC Composite, Interleaved 2 of 5, Japan Post, Planet, Plessey Code, Postnet, RSS, UPC/EAN,etc. |
| □□ | ≥500□ □□□□□□□□ |
| □□ | 360° |
| □□ | 65° |
| □□ | 75° |
| □□□□ | |
| □□ | RS232 / USB/ USB□□COM |
| □□ | □□5 V±5□ |
| □□ | 190 mA□□□□□ |
| □□ | 1.5□ |
| □□ | 65g |
| □□ | 70□□x 60 □□x95□□ |
| □□□□ | |
| □□□□ | --5°C□ 65°C |
| □□□□ | --20°C□70°C |
| □□ | 5□-95□□□□□□□ |
| □□ | 1.5m □□□□□ |



OCBS-2012





OCBS-2012





OCBS-2012





OCBS-2012

