

1D / 2D
OCBS -2015

OCBS
OCBS

| | |
|-------------|---|
| OCBS | |
| OCBS | LED |
| OCBS | OCBS |
| OCBS | OCBS |
| OCBS | LED |
| OCBS | |
| OCBS | CMOS |
| OCBS | 1280*970 |
| OCBS | 1300UPC 40/ |
| OCBS | 50*20 |
| OCBS | ≥300 |
| OCBS | UPC-A UPC-E UPC-E1 EAN-13 EAN-8 ISBN Bookland EAN ISSN Code 39 Code 39 ASCII Code 32 Trioptic Code 39 2 5 2 5 2 5 2 Codabar NW7 Code 128 UCC / EAN 128 GS1-128 ISBT 128 Code93 Code 11 USD-8 MSI / Plessey |
| OCBS | 2D PDF417 MicroPDF417 QR DataMatrix GS1 Com pos ite |
| OCBS | 39 500 50 120 39 1000 25 250 UPC / EAN 1300 20 320 750 63 150 PDF417 660 62 145 |
| OCBS | ±45°@ 0° ±30°@ 0° ±45°@ 0° |
| OCBS | |
| OCBS | USB USB COM |
| OCBS | 3.3v 5v |
| OCBS | 2.0w 400mA |
| OCBS | 2.5w 450mA |
| OCBS | 5.5V 1A |
| LED | I |
| OCBS | |
| OCBS | -20 +60 -4F 144F |
| OCBS | -30 +70 -22 158 |
| OCBS | 5-95 |

| | |
|------|--------------------|
| □□□□ | 1.5m□5.0ft□□□□□□□□ |
| IP□□ | IP54 |
| □□□ | □□□□□□□□□□□□ |



OCBS-2015





OCBS-2015





OCBS-2015

