

# OCBS-2019 1D 2D USB

## OCBS -2019

□□□

□□□□□□□□

□□□□□□

4□□□□□□□□□□

□□□□□□□□□□

□□□□□□1D□2D□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□

□□	USB; □RS232□□□□□□								
□□□□	Linux□Android□Windows XP□7□8□10□MAC								
□□□□	□□;□□;□□;□□□□;□□;□□;□□								
□□□	□□CMOS□□□□								
□□	□□LED□□□□+□□LED□□□□								
□□□	32□ARM MCU + DSP								
□□□□	Code39□35cm /□								
□□□	400□								
□□□	1/5□								
□□□□	□□								
□□□□	□□□□□□□□□□□□								
□□□□	□□□□□□□□LED□								
□□□□□□	20□								
□□	ABS +PC								
□□	□□5V±5□								
□□□□	375mW□□□□□; 226mW□□□□□; 750mW□□□□□								
□□	289□±5□								
□□□□	□*□*□□180 * 115 * 85□□□□mm□								
□□□□	60 * 45 * 38.5□□ 50□/□□□□□□= 14.45kg□□□□= 16.15kg								
□□	□+□								
□□□□	<table border="1"> <tr> <td>□□</td> <td> <ul style="list-style-type: none"> <li>●□□25□□●□□25□□-□□25□□</li> <li>●□□39-□□●□□39-□ASCII●□□32</li> <li>●Code93-□□●Code93-□ASCII●Code128</li> <li>●EAN / GSL / UCC-128Auto●Codabar●MSI</li> <li>●EAN / JAN-13●UPC-A●JAN-8●Code11●UPCE0</li> </ul> </td> </tr> <tr> <td>2D</td> <td> <ul style="list-style-type: none"> <li>●MICRO QR●□□□□●QR</li> <li>●AZTEC●PDF417</li> </ul> </td> </tr> </table>	□□	<ul style="list-style-type: none"> <li>●□□25□□●□□25□□-□□25□□</li> <li>●□□39-□□●□□39-□ASCII●□□32</li> <li>●Code93-□□●Code93-□ASCII●Code128</li> <li>●EAN / GSL / UCC-128Auto●Codabar●MSI</li> <li>●EAN / JAN-13●UPC-A●JAN-8●Code11●UPCE0</li> </ul>	2D	<ul style="list-style-type: none"> <li>●MICRO QR●□□□□●QR</li> <li>●AZTEC●PDF417</li> </ul>				
□□	<ul style="list-style-type: none"> <li>●□□25□□●□□25□□-□□25□□</li> <li>●□□39-□□●□□39-□ASCII●□□32</li> <li>●Code93-□□●Code93-□ASCII●Code128</li> <li>●EAN / GSL / UCC-128Auto●Codabar●MSI</li> <li>●EAN / JAN-13●UPC-A●JAN-8●Code11●UPCE0</li> </ul>								
2D	<ul style="list-style-type: none"> <li>●MICRO QR●□□□□●QR</li> <li>●AZTEC●PDF417</li> </ul>								
□□□□	□□360°□□□30°□□□45°								
□□□□	<table border="1"> <tr> <td>Code39</td> <td>4.17mil□15□□□□6cm-12cm</td> </tr> <tr> <td>Code128</td> <td>4.17mil□16□□□□7cm-10cm</td> </tr> <tr> <td>□□□□</td> <td>10.83mil□8 bytes□□5cm-16cm</td> </tr> <tr> <td>□QR</td> <td>1083mil□8 bytes□□7cm-12cm</td> </tr> </table>	Code39	4.17mil□15□□□□6cm-12cm	Code128	4.17mil□16□□□□7cm-10cm	□□□□	10.83mil□8 bytes□□5cm-16cm	□QR	1083mil□8 bytes□□7cm-12cm
Code39	4.17mil□15□□□□6cm-12cm								
Code128	4.17mil□16□□□□7cm-10cm								
□□□□	10.83mil□8 bytes□□5cm-16cm								
□QR	1083mil□8 bytes□□7cm-12cm								

□□□□	
IP□□	IP52
□□□□	0□50°C/ 32□122°F
□□□□	0□50°C/ 32□122°F
□□□□	20□□85□□□□□□□□
□□□□	20□□85□□□□□□□□
□□□□	15KV□□
□□□	□1.5m□□□□□□□□□□





OCBS-2019





OCBS-2019





OCBS-2019





OCBS-2019





OCBS-2019







OCBS-2019







OCBS-2019





OCBS-2019



