

**OCBS -A100**

**M / N OCBS -A100**

□□□

□□□□ □□ Android□ 7.1;

2G RAM + 16G ROM;

4.0□□480 \* 800 WVGA IPS□□;

□□□□□□□;

□□ 4G □□;

2.4G + 5G□□wifi□ □□;

□□□□□□□□3.7V□ 3200□□□;

□□□IP54 /1.5□□□;

800□□□□□□□□LED□□□ □□□;

1D / 2D□□□□□□□□□

□□	
□□□□	
□□	162□□□□□x73□□□□□x20□□□□□±2□□
□□	□□□266□□□□□□□□□□
□□	4.0□□TFT-LCD□WVGA 480x800□□□□□□□
□□	LED□□
□□	3□TP□□23□□□□□4□□□
□□	2 SIM□1 TF
□□	□□□□□□□□3.7V□3200mAh
□□□□	
□□□□□□	□□□□
□□□□	Android 7.1
□□	2GB RAM□16GB ROM□MicroSD□□□32GB□□□
□□□□	
□□□□	-20°C□50°C
□□□□	-20°C□70°C
□□	5□RH□95□RH□□□□□
□□□□	□□□□□□□□□5□□/1.5□□□□□□□
□□	IP54□□□IEC□□
□□□□	
SDK	HHW□□□□□□
□□	Java□
□□	Android Studio□Eclipse
□□□□	
WWAN	TDD-LTE□FDD-LTE
WLAN	IEEE 802.11 a / b / g / n 2.4G + 5G
WPAN	□□v4.1 + BR / EDR + BLE
□□□□□□	
□□□□□□□□□□	

1D		uE9664313
	2D CMOS	ME548003680
		PDF417 MicroPDF417 Com pos ite RSS TLC-39 Datamatrix QR Micro QR Aztec MaxiCode Pos tal Net Pos tal Pos tal Pos tal Pos tal
<b>RFID</b>		
RFID HF		13.56MHz
		ISO 14443A& 15693
	R / W	28
		1xPower 1x 1xDC 1xUSB





# OCBS-A100





# OCBS-A100





OCBS-A100





OCBS-A100









OCBS-A100

